



## Surveyor's Style Vest

- Solid front
- Mesh back
- 3M reflective material
- Zipper closure
- 4 front pockets

Item No.	Size
KMGLO-003-M	Medium
KMGLO-003-L	Large
KMGLO-003-XL	X-Large
KMGLO-003-2XL	2X-Large
KMGLO-003-3XL	3X-Large
KMGLO-003-4XL	4X-Large



## Standard Safety Goggles, Non-Vented

Item No. KMFE2020EA

- Ventless, rubber strap, clear anti-fog lens
- Our goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators

- The transparent protective PVC body permits a comfortable fit over prescription eye wear while protecting against impact
- Goggle straps contain no Latex



## Face Shield—Positive Lock Headgear

Item No. KMFE2000EA

- This lightweight face shield features an 8"x12"x 0.04" PETG plastic window
- Positive Lock headgear has two snap-in straps that adjust independently to ensure a tight fit

- Yellow, high-impact plastic single crown
- Compliance: EPA 40 CFR 170 for chemical splash eye protection
- Meets ANSI Z87.1-1989 and CAN/CSA-Z94.3-92



## Standard Safety Goggles, Direct Vent

Item No. KMFE1903EA

- Use this great quality goggle for protection against dust and flying debris in landscaping, agricultural, harvest and general maintenance applications

- Made from soft, green PVC with a clear polycarbonate lens and elastic headband
- Fits conveniently over most prescription eye wear
- Meets ANSI Z87.1 specifications

## Oily Waste Can with Hand-Operated Cover

- Used for rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when improperly discarded



- Round construction and elevated base allow circulation of air around can to disperse heat and reduce moisture build-up and rusting
- Lid opens to no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen to virtually eliminate the risk of spontaneous combustion

- Durable steel construction with a powder-coat finish provides chemical resistance
- Ten-year warranty

Item No.	Capacity
KM9100	6 Gallon
KM9300	10 Gallon



## Sqwincher® 1.26 oz. Qwik Serv™ Instant Powder Concentrate

- Electrolyte packet drink
- Yields 16.9 ounces (8 packs per bag)
- Pouches are perfect for people who want to keep it simple
- Just pour the portable powder into a ½ liter bottle of water whenever you get the urge

Item No.	Flavor
KM060904-GR	Grape
KM060900-OR	Orange
KM060901-FP	Fruit Punch
KM060902-LL	Lemon Lime



## Plastic Stop/Slow Paddles

Item No. KM03-823P

- Color : red/orange
- Pole mounted paddle
- Includes 18" handle



## Vinyl Flag 18" with 24" Wooden Dowel

Item No. KM03-229-3417

- Handheld warning flag
- Heavy duty vinyl material
- Available in red on orange color
- Measures 18" x 18"



## 18" Bright Red Vinyl Flag with 24" Wooden Dowel

Item No. KM03-229-3424

- Handheld warning flag



## 18" Traffic Cone

Item No. KM8888

- 18" Orange PVC Traffic Cone with black base is made PVC for superior durability and superior flexibility
- Cone features a UV inhibitors to prevent fading
- Meets MUTCD standards and are NCHRP-350 certified



## 28" Cone with 6" Upper 4" Lower Reflective Collars

Item No. KM03-500-10

- All vinyl construction assures durability and flexibility in all weather conditions
- Ultraviolet stabilized color provides maximum resistance to fading
- High density, black base creates low center of gravity for maximum stabilization



## 28" Rack N Pop Collapsible Cone

Item No. KM03-501-02


- 28" orange cone
- Waterproof nylon construction assures durability and flexibility in all weather conditions
- Collapses to 2" height and stores in easy-to-carry portable bag



## Cone Bar Barricade Kit

Item No. KM03-824-CBKT

- 2 delineators
- 2 cone bars
- 2 10 lb. weights



## Retractable Cone Bar

Item No. KM03-824CB

- Lightweight at approx. 2 lbs.
- Exterior grade PVC with UV withstands temperature extremes and sunlight

- Traffic cone orange with three 4" high intensity collars
- Extremely reflective at night
- Easily Extends From 5' to 8'
- Unique push pin locking mechanism
- Can create an Instant square barrier system from 5' x 5' or up to 8' x 8' in seconds



## Flared 45" Easy Grab Delineator Post

Item No. KM03-734

- 45" with 2 each 3" high collars
- Post only



## Delineator Base

Item No. KM03-730

- 14" wide x 3" high, 10 lbs.
- Includes 5" diameter center hole



## Heavy Duty Wheel Chock

Item No. KM2048WC

- Fluted design causes downward pressure to lock chock into place
- Metal o hook imbedded in back
- Depth: 8"



## 6' Parking Block

Item No. KM2050PB

- 14" Painted Spike KM2053S sold separately



## 6' Speed Bump

Item No. KM2055SB

- 14" Painted Spike KM2053S sold separately





Front

Back

### Safety Vest Class 2


- Constructed from non-woven material
- Breathable mesh vest features 2" 3M reflective tape, an inside pocket, 3 front snap closure and adjustable Velcro sides that accommodate changes in outerwear and for more flexible sizing
- Color: Hi-Vis Lime, Fiberweb brand
- Wash up to 5 times

Item No.	Size	Komatsu Logo	Dist. Logo
KMBW0510-S/M	Small/Medium	Yes	No
KMBW0510-L/XL	Large/X-Large	Yes	No
KMBW0510-2X/3X	2X-Large/3X-Large	Yes	No
KMLBW0510D-S-M	Small/Medium	Yes	Yes
KMLBW0510D-LXL	Large/X-Large	Yes	Yes
KMLBW0510D-2X3	2X-Large/3X-Large	Yes	Yes

### Basic Tyvek Coverall

- Collar and full zipper front
- Economical, water-repellent coverall offers basic protection against dust, powders and grease, as well as splash protection from Class III and Class IV pesticides
- EPA 40 CFR 170 compliant
- Open wrists and ankles

Item No.	Size
KMBW1920-L	Large
KMBW1920-XL	X-Large
KMBW1920-2X	2X-Large
KMBW1920-3X	3X-Large
KMBW1920-4X	4X-Large



### Pura-Fit Foam Earplugs

- Bright green color for easy compliance checks
- Available in uncorded or corded versions
- Earplugs have a longer, tapered shape for easy insertion and removal in any size ear canal
- Smooth, non-irritating surface provides a comfortable and effective fit
- Noise Reduction Rating: 33 dB

Item No.	Desc.
KMEP2026BX	Corded
KMEP2025BX	Uncorded



### Contra Band Earplugs

Item No. KMEP6710EA

- Super soft ear tips conform to the ear canal for optimal fit and maximum comfort
- Band has molded finger grips and is angled to fit perfectly every time you put it on
- Designed to wear with band under the chin
- Meets CSA Class BL
- Noise Reduction Rating: 22 dB
- Made in USA



### Slow Moving Vehicle Signs & Mounting Hardware

- ASAE (S276.6) approved and State of Illinois compliant
- 14"H x 16"W
- Made with high-intensity, micro-prismatic reflective and fluorescent materials
- Complete, easy to install hardware kit for mounting SMV signs (KM3040—sold separately)

Item No.	Material	Thickness
KM3010	Aluminum	.04"
KM3020	Plastic	.80"
KM3030	Adhesive	

Item No.	Description
KM3040	Mounting Hardware Kit

KM3040



### N95 Particulate Respirators with Valve

Item No. KMRS2300PK



- Ventex® valve gets hot air out faster, so breathing resistance is reduced and workers stay cooler
- Convenient 5-pack personal locker has a separate compartment for the mask being used
- Perfect for hot, humid, dusty conditions
- Dura-Mesh® flame-retardant shell protects the filter media so it stays cleaner longer and resists collapsing

### Freedom® Disposable Respirator Organic Vapor/R95 Filters

Item No. KMRS2155EA-L



- Pre-assembled with cartridges/prefilters and ready to use
- Features rolled edges, a broad sealing flange, chin port and forward angled nose piece for a secure, comfortable fit
- Eliminates assembly mistakes and the need for cleaning and maintenance
- Ideal for extremely dusty or dirty applications where cleaning is difficult, including paint and pesticide spraying, welding, primary metals, automotive and chemical operations



### Compact First Aid Kit

Item No. KM6082

- 94 piece kit
- Inner gasket seals out moisture so contents stay dry and ready to use
- Fits in vehicle glove box or can easily be wall-mounted
- Rust-proof, durable polypropylene case

### V-Gard® Cap Style Hard Hat



- Third party certified by the Safety Equipment Institute (SEI)
- Stocked in standard size (fits 6-1/2 to 8)
- Features 4-point, Fas-Trac® ratchet suspension
- Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) as outlined in ANSI Z89.1 2003, Class E
- Consists of polyethylene shell and suspension that work together as a protection system

Item No.	Color
KMFE2250S-Y	Yellow
KMFE2250S-W	White



### High-Intensity Warning Strobe

Item No. KMER1000-Y

- Flashes 70 times per minute with 300 candelas of brightness
- Lanyard allows it to be carried like a lantern
- High-intensity flash is visible for over one mile in clear conditions
- Dimensions: 5-1/4" tall, 4" diameter base
- Two standard D batteries (not included) deliver 48 hours of continuous flashing







**Welding Helmet, Solar Powered Auto Darkening**

- Item No. KM41260
- Protects against UV and infrared radiation in variable shades from DIN 9 to DIN 13
  - Lens automatically darkens when an arc is struck and returns to normal when welding stops
  - Powered by solar cells with battery back-up



**Welding Helmet, Auto Darkening**

- Item No. KM41254
- Durable, lightweight material is corrosion resistant and flame retardant
  - Protects against UV and infrared radiation
  - Automatic shut-off saves batteries
  - Complies with DIN, ISO EN379 and ANSI Z87.1 standard
  - 3.5" x 1.5" viewing area



**Welding Helmet, Wide-View Solar Power**

- Protects against UV and infrared radiation in variable shades from DIN 9 to DIN 13
- Lens automatically darkens when an arc is struck and returns to normal when welding stops
- Powered by solar cells with battery back-up

Item No.	Design
KM41265	Eagle/Flag
KM41266	Flame



**Clear Protective Replacement Lens**

- Clear cover safety welding lenses
  - Works with KM41260
  - Protect shaded lens from spatter and debris
- Includes both inner and outer lens

Item No.	Viewing Area	Fits Helmets
KM41264	4" x 2.125"	KM41265, KM41266
KM41261	4" x 2"	KM41260



**Leather Apron Bib with 2 Chest Pockets**

- Bourbon brown side split leather bib apron with two chest pockets
- Cotton crossed back straps and side release buckles

Item No.	Size
KM64055142	24" x 42"
KM64055143	24" x 48"



**Pearl Gray 14" Shoulder Split Cowhide Welders Gloves**

- Item No. KM64057602
- Cotton sock lined welders gloves
  - With wing thumb
  - Affordable standard shoulder split cowhide



**Large Bourbon Brown 14" Select Shoulder Split Cowhide**

- Item No. KM64057632
- Cotton lined welders gloves
  - Reinforced, straight thumb
  - Tightest and densest structure



**Suede Cowhide Welders Gloves**

- Item No. KM1919LB
- Welder/fireplace gloves
  - Partially welted seams
  - Sock lining



**Premium Suede Cowhide Welders Gloves**

- Item No. KM1914LB
- Welder/fireplace gloves
  - Partially welted seams
  - Sock lining







Septor Flashlight

Item No. KMER61008

- All LED Technology
- 3 AAA alkaline batteries included
- A combination of seven three-way adjustable brilliant white LED bulbs in this flashlight give you hands-free flexibility and long run time
- Adjustable fabric head strap, 90° tilt movement, water-resistant thermoplastic yellow body, rubber-shielded bezel and unbreakable polycarbonate lens



Trident Flashlight

Item No. KMER61063

- Xenon Bulb plus LED Technology
- Includes an adjustable fabric head strap, 90° tilting head, spot-to-flood focus, and three levels of lighting for short, medium and long distances
- Rubber-shielded bezel and unbreakable polycarbonate lens
- 3 AAA alkaline batteries included



3C Xenon Flashlight

Item No. KMER33001

- High intensity Xenon bulb generates up to 12,000 peak beam candlepower
- Five hour continuous runtime on 3 C alkaline batteries (not included)
- Spring loaded clip, sealed switch, shock resistant polymer case, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



4AA Xenon Flashlight

Item No. KMER68002

- High intensity Xenon bulb generates up to 6,000 peak beam candlepower
- Four hour continuous runtime on 4 AA alkaline batteries (included)
- Shock resistant polymer case, sealed switch, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



4AA LED Flashlight

Item No. KMER68005

- Seven high-intensity, unbreakable LED's generate up to 27 lumens
- 155 hour continuous runtime on 4 AA alkaline batteries (included)
- Shock resistant polymer case, sealed switch, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



Clipmate Flashlight

Item No. KMER61100

- This compact, durable, water-resistant flashlight gives you hands-free operation in three different configurations:
  - 1) as a clip-on light to a hat, straps or equipment
  - 2) clipped to the adjustable head strap
  - 3) carried on its convenient neck lanyard
- 360° rotation projects a white light from three super-bright LED's that is visible for over a mile away!
- 120 hours continuous runtime on 3 AAA alkaline batteries (included)
- An indispensable tool for all outdoor and industrial applications



Stylus LED Penlight

Item No. KMER65018

- This ultra-slim, powerful penlight is cased in tempered aircraft aluminum with black anodized finish
- The high-intensity 12,000 millicandelas white LED has a 100,000-hour lifetime
- Ten hours continuous runtime with 3 AAAA alkaline batteries (included)
- Water-resistant
- Blink or constant on switch
- Removable tip guard for focusing the beam is included



Stinger Rechargeable

Item No. KMER75014

- Rechargeable 3.6 volt, 1.8 amp nickel-cadmium battery can be recharged up to 1,000 times
- Runtime is one hour continuous use between charges
- Includes two 10-hour snap-in recharger holders with AC and DC charge cords
- Black anodized aluminum housing, unbreakable polycarbonate lens



Ultra Stinger Rechargeable

Item No. KMER78014

- Produces 75,000 candlepower
- The NiCad 6 volt, 1.8 amp battery is rechargeable up to 1,000 times
- One hour of continuous runtime between charges
- Black anodized aluminum housing is corrosion proof inside and out
- Unbreakable, focusable polycarbonate lens
- Includes two 10-hour snap-in recharger holders with AC and DC charge cords



NEW



CELL MAX™ Alkaline Batteries

- CELL MAX Alkaline batteries are built to readily start up high drain devices with dynamic instantaneous power
- These batteries are a great general use battery for your everyday power needs

Item No.	Description
KMCM-6LF22-BP1	9 Volt 1 Pack
KMCM-LR6-BP2	9 Volt 1 Pack
KMCM-LR6-BP4	AA 4 Pack
KMCM-LR6-PBH24	AA 24 Pack
KMCM-LR03-BP2	AAA 2 Pack
KMCM-LR03-BP4	AAA 4 Pack
KMCM-LR03PBH24	AAA 24 Pack
KMCM-LR14-BP2	C 2 Pack
KMCM-LR20-BP2	D 2 Pack



### Commando® Spill Containment Kit

Item No. KMKT1120EA

- Ideal for vehicles transporting liquid chemicals, chemical handlers and haulers, around mixing and storage areas
- Slim, mobile spill response kit fits easily in your vehicle and may be hung on the warehouse or shop wall to give you immediate response to chemical spills

- Pickup rating is 5 gallons of liquid per kit
- Packed in a highly visible yellow, chemical resistant carry bag
- Kit includes:
  - 2 CHEMSORB® Diking Tubes (3" x 48")
  - 4 CHEMSORB® Pillows (16" x 9" x 2")
  - 2 HazMat disposable bags
  - 1 pair 15 mil Nitrile gloves
  - 1 pair safety goggles
  - 1 pair Tychem SL Saranex boot covers
  - Instruction sheet



### SENTRY Spill Response Drum

Item No. KMSP1660EA

- 30 gallon pick-up capacity
- 55 gallon drum contains enough CHEMSORB® sorbent to absorb 30 gallons of liquid spill
- Kit includes:
 

15 CHEMSORB® Diking Tubes	2 pair 15 mil Nitrile gloves
10 CHEMSORB® Pillows	1 roll caution tape
4 HazMat disposable bags	4 HazMat labels
2 Tychem SL Saranex Coveralls	4 non-hazardous waste labels
2 pair splash goggles	1 parts reorder form
2 pair rubber HazMat boots	



### Minuteman® Spill Containment Kit

Item No. KMKT1000EA

- Fits easily in any vehicle sprayer, nurse tank or chemical transport truck, and can be wall hung around your plant and warehouse for visibility and easy access
- Keep your spill response items organized and ready for use
- Packed with the key products you need to clean up a hazardous spill
- Pickup rating is 5-6 gallons of liquid per kit
- Comes in a portable, highly visible orange nylon duffel pack
- Kit includes:
  - 2 CHEMSORB® Sorbent Pillows (26" x 16" x 2")
  - 3 CHEMSORB® 48" Diking Tubes
  - 1 pair 15 mil Nitrile gloves
  - 1 pair safety goggles
  - 1 pair Tychem SL Saranex boot covers
  - 2 HazMat disposable bags with labels



### Portable Insulated Decontamination Kit

Item No. KMKT1540EA

- Designed for personal cleanup in the field from chemical spills
- Lightweight, bright yellow nylon bag is easy to identify from a distance and is insulated to ensure that enclosed liquids meet the EPA's "usable temperature" mandate
- Complies with: EPA Reg. 40 CFR 170
- Kit includes:
  - 4 Extra large single-use towels
  - 3 One-gallon portable water bottles
  - 2 16-oz. bottle of sterile, buffered, isotonic eyewash
  - 1 4-oz. bottle liquid soap
  - 1 disposable coverall/ modesty garment
  - 1 weather-resistant, insulated carrying case (14.5" x 12.5" x 12.5")
  - 1 bilingual instruction sheet

### Oil Only Heavy-Duty Absorbent Rolls

Item No. KM83150


- Roll Size: 28.5" x 125'
- Perforated every 19" across and down the center of the length of the roll



### Oil Only Heavy-Duty Absorbent Pads

Item No. KM83100

- Pad Size: 15" x 19"
- Durable meltblown spunbond coverstock on top and bottom of pads (and rolls) with an absorbent core made with recycled shop towel fibers
- Made with 60% cotton



### Oil Only Heavy-Duty Absorbent Split Rolls

Item No. KM83160

- Roll Size: 14.25" x 125'
- Perforated every 19" across but not down the center of the length of the rolls



### General Purpose 4' Absorbent Socks

Item No. KM22868

- Sock Size: 3" x 4'
- Made with 70% recycled cellulose fiber
- Absorbs both water and oil based fluids such as diesel fuel, transmission fluid, hydraulic fluid, coolants, grease, paint and many other fluids



### General Purpose Medium-Duty Absorbent Rolls

Item No. KM23250


- Roll Size: 28.5" x 125'
- Perforated every 19" across and down the center of the length of the roll



### General Purpose Medium-Duty Absorbent Pads

Item No. KM23200

- Pad Size: 15" x 19"
- More absorbent and a more cost effective alternative than the leading competitor's meltblown absorbent pads/rolls



### General Purpose Medium-Duty Absorbent Split Rolls

Item No. KM23260

- Roll Size: 14.25" x 125'
- Perforated every 19" across but not down the center of the length of the rolls



### Walk-On Rag Rug

Item No. KM27036

- Roll Size: 36" x 150'
- Absorbent and a very durable walk-on mat
- Ideal to place in steady foot traffic areas where over-spray, leaks, drips and spills can occur



### Heavy-Duty Absorbent Barrel Top Pads

Item No. KM22866

- Pad Size: 22" diameter
- Made with 70% recycled cellulose fibers







### Suede Cowhide Gloves

- Soft and durable suede leather
- Tailored keystone thumb
- Shirred elastic back
- Self hem

Item No.	Size
KM36-M	Medium
KM36-L	Large
KM36-XL	X-Large



### Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- Adjustable wrist closure locks out dirt and debris
- Machine wash, air dry

Item No.	Size
KM70-L	Large
KM70-XL	X-Large



### Large Leather Palm Gloves

Item No. KM463-L

- Durable suede leather palm
- Cotton flannel and shirred elastic back
- Heavy duty rubberized safety cuff



### Palm Dipped Gloves

- Cut, puncture and abrasion-resistant palm
- Breathable knit back
- Ergonomic, form-fitting design
- Great grip on wet surfaces

Item No.	Size
KM300-L	Large
KM300-XL	X-Large



### Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH5.5 technology made to match healthy skins natural pH5.5 levels to ensure the most comfortable fit yet
- Unique formulation reduces excess perspiration
- Quadruple washed—no excess chemicals lingering on glove
- Super strength and stretch—no more tearing
- Fully textured grip
- Latex-free

Item No.	Description
KMBL-M	Black Lightning - Medium
KMBL-L	Black Lightning - Large
KMBL-XL	Black Lightning - X-Large
KMBL-XXL	Black Lightning - 2X-Large
KMOR-M	Orange Lightning - Medium
KMOR-L	Orange Lightning - Large
KMOR-XL	Orange Lightning - X-Large
KMOR-2XL	Orange Lightning - 2X-Large



### Tsunami Grip®

- Cuff is color coded by size, knit wrist
- Single dipped mach finish nitrile
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Dark colors hide dirt
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose light duty material handling use

Item No.	Size
KM500GM	Medium
KM500GL	Large
KM500GXL	X-Large
KM500G2XL	XX-Large



### Tsunami Grip® Air Injected Nitrile

- Purple 13 gauge nylon with a knit wrist
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Air injected Nitrile "breathes" for less hand fatigue and sweat
- Applications include electronic assembly, automotive, construction work, sheet rocking, and general all purpose material handling

Item No.	Size
KM500M	Medium
KM500L	Large
KM500XL	X-Large



### Tsunami Grip® New Foam Technology Nitrile

- 15 gauge nylon shell gives silky feel
- ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose use

Item No.	Size
KM500NFTM	Medium
KM500NFTL	Large
KM500NFTXL	X-Large
KM500NFT2XL	XX-Large



### Tsunami Grip® Black Mach Finish Nitrile

- Red 13 gauge nylon shell
- Unique double dipped mach finish nitrile coating provides the grip comparable to true foam/air injected nitrile and has more abrasion qualities
- It also will not saturate through the coating like foam/air injected nitrile
- ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work, general purpose use and jobs requiring light cut resistance

Item No.	Size
KM500MFM	Medium
KM500MFL	Large
KM500MFXL	X-Large
KM500MF2XL	XX-Large



### Tsunami Grip® New Foam Technology Nitrile with Nitrile Dots

- 15 gauge nylon shell gives silky feel
- ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose use

Item No.	Size
KM500NFTDM	Medium
KM500NFTDL	Large
KM500NFTDXL	X-Large
KM500NFTD2XL	XX-Large





## O-Rings

- Komatsu Genuine O-Rings ensure correct fit, form and function
- Easy-to-carry and easy-to-store system lets technicians spend more time servicing and less time scrambling for the right parts

- Komatsu kit inventories are easy to order, easy to manage and easy to sell
- Order individual replacement O-Rings through your normal Komatsu channel



## Face Seal/Embedded Hose Joint O-Ring Kit for 07002 Series

Item No. 1400693H91

- 260 O-Rings
- 13 sizes
- NBR-1B -22° F to +212° F (-30° C to +100° C)
- Common applications include face seal and embedded hose joint

O-Ring Item No.	Dimensions	Qty.
07002-11023	7.4mm x 2.3mm	20
02896-11008	7.65mm x 1.78mm	20
02896-11009	9.25mm x 1.78mm	20
07002-11423	10.9mm x 2.3mm	20
02896-11012	12.42mm x 1.78mm	20
07002-11823	14.9mm x 2.3mm	20
02896-11015	15.6mm x 1.78mm	20
07002-12034	16.7mm x 3.4mm	20
02896-11018	18.77mm x 1.78mm	20
07002-12434	20.7mm x 3.4mm	20
07002-13034	26.7mm x 3.4mm	20
07002-13334	29.7mm x 3.4mm	20
07002-13634	32.7mm x 3.4mm	20



## O-Ring Service Kit for 07000-1 Series

Item No. 1400688H91

- 288 O-Rings
- 19 sizes
- JIS HS 88 ± 5 NBR-1B -22° F to +212° F (-30° C to +100° C)
- Common applications include valves, piping, pumps, motors, hydraulic lines and cylinders

O-Ring Item No.	Dimensions	Qty.
07000-12010	9.8mm x 2.4mm	20
07000-12011	10.8mm x 2.4mm	20
07000-12012	11.8mm x 2.4mm	20
07000-12015	14.8mm x 2.4mm	20
07000-12018	17.8mm x 2.4mm	20
07000-12020	19.8mm x 2.4mm	18
07000-12021	20.8mm x 2.4mm	20
07000-13022	21.7mm x 3.5mm	10
07000-13025	24.7mm x 3.5mm	20
07000-13028	27.7mm x 3.5mm	10
07000-13030	29.7mm x 3.5mm	10
07000-13032	31.7mm x 3.5mm	20
07000-13035	34.7mm x 3.5mm	20
07000-13038	37.7mm x 3.5mm	10
07000-13040	39.7mm x 3.5mm	10
07000-13045	44.7mm x 3.5mm	10
07000-13048	47.7mm x 3.5mm	10
07000-12060	59.4mm x 3.1mm	10
07000-12075	74.4mm x 3.1mm	10



## Gent-L-Kleen Smooth Orange

- Orange-based lotion hand cleaner
- Natural orange oils
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Five skin care ingredients

Item No.	Weight
KMG23116	15 oz.
KMG23218	1 Gallon



## Gent-L-Kleen Pumice Orange

- Orange-based lotion hand cleaner
- Natural orange oils with fine-grain, American pumice
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Five skin care ingredients

Item No.	Weight
KMG25116	15 oz.
KMG25218	1 Gallon



## Pumice Grime Grabber

- Traditional skin cleansing gel
- Water-soluble and biodegradable
- VOC-compliant and NPE-free
- Six skin care ingredients

Item No.	Weight
KM31412	14 oz.
KM34560	4.5 lb.



## Scrubs Hand Cleaning Wipes

Item No. KM90172

- Sheet Size: 10" x 12.25"
- Quantity per canister: 72
- A powerful hand and surface degreasing cleaner that's gentle on your skin
- Multi-purpose wet wipe degreaser cuts through oil, tar, grease, paint, lubricants, ink, wax, adhesives and more



## 1 Gallon Gent-L-Kleen Heavy Duty Citrus with Pumice

Item No. KM121422

- Premium, citrus-based lotion hand cleaner
- Natural citrus oils and fine-grain, American pumice
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Nine skin care ingredients



## Wall Mount Bracket

Item No. KM10002

- Fits one gallon pump-top jugs
- Stainless steel
- Pre-drilled holes



## Wall Mount Dispenser

Item No. KM045116

- Fits 4.5 lb cartridge
- Rugged, non-corrosive plastic
- No gear or ratchets
- Black finish
- One-hand operation



## Gent-L-Kleen Hand Wipes 90 Count Scrubber

Item No. KM319060C

- Solvent-free, VOC and NPE-free
- Towels stay moist for hours
- Textured scrubber towel for ultra cleaning power
- Six skin care ingredients
- Multi-purpose wipes for hands, tools, surfaces and more!





**Komatsu® Bucket Blue Shop Towels**  
**Item No. KM55208**  
 • Sheet Size: 11" x 13"  
 • Quantity per bucket: 200  
 • Bucket Shop Towels are perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry until they are needed



**Refill Shop Towels**  
**Item No. KM55207**  
 • Sheet Size: 11" x 13"  
 • Quantity per roll: 200  
 • Use as a refill for the Shop Towel Bucket (Item No. KM55208) or as a stand alone center-pull shop towel dispenser



**2-Ply White Center Pull Towel**  
**Item No. KM183260**  
 • Sheet Size: 7.875" x 10", Qty. Per Roll: 600  
 • Maximum diameter of 9"  
 • High capacity white center pull towels fit many center pull dispensers allowing for quick and easy dispensing in high traffic areas  
 • Made with 100% recycled fibers—80% post consumer and 20% pre consumer



**Wall Mount Center-Pull Towel Dispenser**  
**Item No. KM99906**  
 • Compatible with our 2-Ply White Center-Pull Towel (Item No. KM183260) as well as most 600 ct center-pull towel rolls  
 • Center-Pull Towel Dispenser has an adjustable throat allowing for a variety of different types of towels to be used




**Shop Towels**  
**Item No. KM54416**  
 • Sheet size: 11" x 9"  
 • Quantity per roll: 72  
 • 20 pack quantity  
 • Shop Towels are packaged in a very economical way for large volume users or for those who prefer to purchase in bulk



**Shop Towels 100 Count Box**  
**Item No. KM5025001**  
 • Sheet size: 9" x 16.75"  
 • Quantity per box: 100  
 • Packaged in a portable pop up dispenser box allows you to grab one sheet at a time



**Shop Towels 200 Count Box**  
**Item No. KM55202**  
 • Sheet size: 9" x 13"  
 • Quantity per box: 200  
 • Packaged in a cardboard center-pull dispenser box with convenient carrying handle



**1/4 Fold Wipers**  
**Item No. KM88160**  
 • Sheet Size: 12" x 13"  
 • Quantity per box: 200 (50 in bundle)  
 • 1/4 folds are perfect for stacking on a workbench or countertop



**Red Wipers**  
**Item No. KM88260**  
 • Sheet Size: 9.5" x 16.5", Qty. Per Box: 100  
 • Packaged in a large capacity dispenser box that allows for either one or two sheets at a time  
 • Perfect for jobs that require a larger towel



**Red Jumbo Roll Wipers**  
**Item No. KM88360**  
 • Sheet Size: 12" x 13", Qty. Per Roll: 475  
 • Rolls are designed to fit our Floor Stand (Item No. KM99911)  
 • Large quantity of sheets allows for less time spent replacing rolls



**Floor Stand Jumbo Roll Dispenser**  
**Item No. KM99911**  
 • Stands are designed to fit our Jumbo Rolls (Item No. KM88360)  
 • Jumbo Roll Dispensers allow you to easily grab one sheet at a time  
 • Floor Stand Jumbo Roll Dispensers are metal making them extremely durable

## Portable Heaters

- These easy-to-assemble units are CSA-certified and multi-fuel use with no adjustments (kerosene, diesel and fuel oil)
- Units come with an auxiliary power outlet for user-friendly convenience



KM75TDGD



KM170TDGD



KM400TDGD

### Forced Air Heater

Item No.	Description
KM75TDGD	80,000 BTU/h, heats up to 1,750 square feet. 5-gallon fuel tank allows approx. 9 hours of use. Model does not come with tires.

### Forced Air Heaters Featuring Dual Heat Technology

Item No.	Description
KM125TDGD	135,000 BTU/h, heats up to 3,000 square feet. 10-gallon fuel tank allows for approx. 11-13 hours of use. 10" flat-free tires for easy maneuvering and dependability.
KM170TDGD	180,000 BTU/h, heats up to 4,000 square feet. 13-gallon fuel tank allows for approx. 10-13 hours of use. 10" flat-free tires for easy maneuvering and dependability.

### Forced Air Heaters Featuring Dual Heat Technology & \*Enhanced Control Panel

Item No.	Description
KM210TDGD	220,000 BTU/h, heats up to 5,000 square feet. 13-gallon fuel tank allows for approx. 8-10 hours of use. 10" flat-free tires for easy maneuvering and dependability.
KM400TDGD	400,000 BTU/h, heats up to 8,500 square feet. 29-gallon fuel tank allows for approx. 10 hours of use. 13" pneumatic wheels for easy maneuvering and dependability.

\* Enhanced control panel comes with large display area and allows precise temperature control with four diagnostic light indicators for optimum performance





## Safety Eye Wear

- TPR material increases its grip as it becomes moist to keep them on your face
- Tapered lenses eliminate refraction and block 99.9% of UVA/UVB/UVC rays
- Fog and scratch resistant lenses
- Exceeds ANSI Z87.1+2010 safety standards
- Frames consists of a flexible and durable TR90/Nylon compound material and wrap around with no side shield distortion



KMXF111  
\*Fits over glasses



KMTSKAP218



KMSW116



KMSW116CF

Item No.	Lens	Frame
*KMXF111	Clear	Black
*KMXF116	Smoke	Black
KMDZ111	Clear	Gloss Black Nylon
KMDZ116	Smoke	Gloss Black Nylon
KMSW111	Clear	Gloss Black Nylon
KMSW116	Smoke	Gloss Black Nylon
KMSW116CF	Smoke	Camouflage Nylon
KMTSM216	Polarized Smoke	Rubberized Matte Black Nylon
KMSK116	Smoke	Gloss Silver Gradient Nylon
KMTSKAP218	Polarized Aqua Precision Blue Mirror	Rubberized Matte Black Nylon

\* Fits over most glasses

## Fire Classification

- Class A Fires - Ordinary combustibles such as wood, cloth, paper, straw and stalks
- Class B Fires - Flammable liquids, gases and greases
- Class C Fires - Energized electrical fires

## ABC Fire Extinguishers

- Specially formulated ammonium phosphate-base dry chemical extinguishers may be effectively used to combat Class A and Class B fires as well as having a Class C listing
- Allows use in the presence of energized electrical equipment
- Designed and engineered to the highest-quality standards
- Meets DOT, Coast Guard and OSHA requirements
- Operating temperature: -65° F to 120° F
- Operating range: 2-1/2 lb. (9 to 15 ft.), 5 lb. (12 to 18 ft.), 10 and 20 lb. (15 to 21 ft.) - minimum distance of 8 ft. is most effective and prevents spreading of burning material
- Discharge time (minimums): 2-1/2 lb. size (10 seconds), 5 lb. size (14 seconds), 10 lb. size (20 seconds) and 20 lb. size (30 seconds)



549973C91



549974C91



549975C91



KMB504765



## Water Fire Extinguisher

Item No. KM700709200

- The cooling, soaking and penetrating 30-45 foot stream and 50-second discharge time make it a very effective and inexperienced-operator-friendly extinguisher for use on Class A fires
- 2-1/2 gallon capacity - U/L Rating 2A
- Stainless steel stored-pressure extinguisher
- Operating temperature: 40° F to 120° F
- Operating range: 45-55 ft.
- Operating time: 50 seconds



## Mounting Brackets

Item No.	Holding Capacity
549978C91	10 lb.
KM700709201	20 lb. & 2-1/2 gallons

Item No.	Description
549973C91	2-1/2 lb. capacity - U/L Rating 1A-10B:C, Includes Vehicle Bracket
549974C91	5 lb. capacity - U/L Rating 2A-10B:C, Includes Vehicle Bracket
549975C91	10 lb. capacity - U/L Rating 4A-10B:C
KMB504765	20 lb. capacity - U/L Rating 20A-120B:C



## Air Bottle Jacks



KM18222C

- Effortless air operation will greatly reduce operator fatigue and speed up the efficiency of garage work
- Versatile "Quick Connector" design provides for easy removal of air hose from air motor allowing compact storage or remote operation
- All air bottle jacks have chrome plated rams

- A compact yet powerful Air Turbo Motor U.S. Patent No. 5,341,723 is equipped to raise the load to the desired height efficiently, effortlessly, and safely U.S. Patent No. 5,946,912, a built-in bypass device protects hydraulic system from over pumping damage

Item No.	Capacity	Lifting Range
KM18122C	12 Ton	9-1/2" to 18-1/2"
KM18204C	20 Ton	9-3/4" to 18-3/4"

## Manual Bottle Jacks

- Easiest accessible pumping system eliminates off-center pumping force for the most efficient operation
- Extra large base provides added stability and strength



KM10200

- Serrated heat-treated saddle provides generous lifting area and secure grip
- Unique cross-type forged release valve assures positive control
- A wide, rugged base provides stability and strength
- Heat-treated extension screw allows low pick-up height adjustment and maximum lift height
- U.S. Patented built-in bypass device protects hydraulic system from over-pumping damage
- Critical stress points are reinforced in all models for added durability and dependability

Item No.	Capacity	Lifting Range
*KM10080	8 Ton	9-1/2" to 18-1/2"
KM10120	12 Ton	9-1/2" to 18-5/8"
KM10128	12 Ton	6" to 10-3/4"
KM10200	20 Ton	9-1/2" to 18-5/8"
KM10208	20 Ton	6-1/2" to 11-1/4"

\* Product color is red

## Ratchet Style Jack Stands



KM32125

- Sturdy, welded steel construction for superior safety and strength
- One piece, multi-position ductile ratchet bar provides super strength and durability, and quick adjustment mechanism that securely locks into desired location
- Counter-weighted pawl serves as a safe, secure locking device to prevent the load from accidentally disengaging

Item No.	Capacity	Support Range
KM32035	3 Ton	11-1/2" to 17"
KM32065	6 Ton	15-3/8" to 24-3/8"
KM32125	12 Ton	17-1/2" to 27-1/2"

## Pin Style Jack Stands



KM32105B

- Sturdy, welded steel construction for superior safety and strength
- Heavy gauge, steel frame helps prevent distortion or twisting

Item No.	Capacity	Support Range
KM32105B	10 Ton	18-5/8" to 30-1/2"
KM32107	10 Ton	28" to 47"
KM32225	22 Ton	13-1/3" to 19-2/3"



## Long Chassis Service Jacks



KM25107

- Innovative design of Turbo Lift offers a quicker lift for professional performance
- U.S. Patented built-in bypass device protects hydraulic system from over pumping damage
- Metered release system allows for precise load control
- After the first pump reaches the lifting point, the jack continues with extraordinary lifting speed to raise the load to the desired height

Item No.	Capacity	Lifting Range
KM25057	5 Ton	6-1/2" to 22-1/4"
KM25107	10 Ton	6-7/8" to 27"

## Truck Jack



- Quick rated capacity lift using air-actuated operation
- User friendly, self-returning spring minimizes operators effort, greatly reducing fatigue
- Inline air filter traps contaminants and protects air motor for longer life
- Chrome plated rams
- U.S. patented built-in bypass device protects hydraulic system from over pumping damage

Item No.	Capacity	Lifting Range
KM23221	22 Ton	9-3/4" to 23-5/8"

## Service Jack Combo

- Magic Lift technology
- Built in hydraulic bypass
- Steel frame construction for added strength
- Wide solid stance for extra stability
- Packed in one box for easy storage and delivery



Item No.	Capacity	Service Jack Lifting Range	Jack Stands Support Range
KM25032	3 Ton	6-1/2" to 22-1/4"	11-1/2" to 17"