
Battery Doc® 6/12 Volt 900 mA Automatic Battery Charger/Maintainer

Item No. KM20025

- 3 LED displays indicate charge status at a glance
- 12' output cable lead
- . Includes alligator clips and ring terminals with fuse
- · Toggle switch to select voltage on rear panel



Item No. KM20025



Item No. KM20085

Battery Doc® 2/4/8 Amp 12 Volt Smart Charger

Item No. KM20085

- LED indicates the selected charging rate (2, 4 or 8 amps)
- · Water resistant enclosure with coating to protect circuit board
- Universal AC input, 100-140 VAC, 60 Hz
- 6' AC cable and 8' DC cable included
- Includes alligator clips and ring terminal harness for multiple applications

Battery Doc® 2/8/16 Amp 12 Volt Smart Charger

- LED indicates the selected charging rate (2, 8 or 16 amps)
- IP30 rated enclosure designed with louver for ventilation
- · Water resistant enclosure with coating to protect circuit board
- Universal AC input, 100-140 VAC, 60 Hz
- 6' AC cable and 8' DC cable included
- Includes alligator clips and ring terminal harness for multiple applications



Knife Blade Battery Switch - Side Terminal Item No. KM20128

- For side terminal batteries
- . Mounts on negative side battery terminal
- Provides 3/8-18 bolt for receiving standard eyelet cable connector
- 3-1/4" W x 3-3/4" L x 1-1/2" H



Knife Blade Battery Switch - Top Post

Item No. KM20138

- · For top post batteries, low vertical operation
- Switches recommended to mount on negative battery post to disconnect ground and battery
- · Easy to reach and operate
- 5/8" diameter post for receiving standard battery cable clamp
- 3" W x 4" L x 2" H



Knife Blade: Top Post with Stud

Item No. KM20148

- For top post batteries, low vertical operation
- Switches recommended to mount on negative battery post to disconnect ground and battery
- · Easy to reach and operate
- 5/8" diameter post, plus 5/16-18 stud and wing nut for extra connections
- 3" W x 4" L x 21/4" H

Knife Blade Battery Switch In-Line Eye To Eye

Item No. KM20188

- Surface mounted "in-line"/remote mount switches
- For concealed installations or where battery box space is limited.
 One side connects to the battery cable; other side connects to the vehicle cable
- Both terminals are 5/16" bolts for receiving eyelet cable connectors
- 3" W x 4" L x 2" H





Die-Cast Push-On Starter Switch

Item No. KM20302

- · Heavy-duty die cast push-on starter switch, momentary on
- · Water-resistant cover
- 16 amps at 12 volts
- 5/8" diameter mounting hole required for panel mount





Item No. KM20303

Momentary Push-On Button Switch

Item No. KM20303

- For controlling apparatus that requires temporary power and manned operation
- Heavy-duty momentary push-on switch
- · Water-resistant cover
- 30 amps at 12 volts

Battery Isolator: Lever Operated Switch Item No. KM20304


- · Master battery isolator disconnect switch
- 100 amps continuous at 12 volts



Battery Doc® Solar Charger Heavy Duty 30W Panel

Item No. KM23130

- Monocrystalline panels are a highly efficient solution for converting sunlight to electricity
- · Ideal for situations with limited space
- · Corrosion resistant anodized frame
- Dimensions: 21" L x 16" W x 1" D



Item No. KM23130

Battery Doc® Solar Trickle Charger/Maintainer 5W Panel Kit

Item No. KM23143

- Anodized aluminum weather resistant frame
- Dimensions: 12-1/2" W x 12-1/2" L x 1" D
- . Amp Rating: up to 420 mA
- Accessories included:
- 12V male output adapter (cigarette lighter adapter)
- alligator clips
- voltage tester
- mounting hardware (screws)



Item No. KM23143

Battery Doc® Solar Charger 9W Panel Kit

Item No. KM23144

- Anodized aluminum weather resistant frame
- Dimensions: 8.3" W x 24.4" L x 1" D
- Amp Rating: up to 750 mA
- Accessories included:
 - 12V male output adapter (cigarette lighter adapter)
 - alligator clips
 - voltage tester
 - mounting hardware (screws)
 - 10' solar panel lead wire

Item No. KM23144



Battery Doc® 12 Volt 10 Amp Solar Controller

Item No. KM23122

- Maintains and regulates 12 volt batteries from overcharging and discharging
- Includes digital volt meter display
- . Handles up to 10 amps (120 watts) of array current
- Maintenance-free protection of your solar panel and batteries
- . Maintains 12 volt batteries in a fully charged state
- · Small, compact and easy to mount
- For use with gel-cell, AGM, deep cycle and all lead-acid 12 volt batteries
- · Easily mounted in weather protected area

tts) of array current your solar panel fully charged state unt o cycle and ected area

Item No. KM23122

Battery Doc® 4-in-1 Adaptor

- Safely connects up to 4 like solar panels in parallel
- 11' 6" long
- Includes 4 bullet E-Z connectors
- Quick and easy to use: No cutting or splicing!



Compact Battery Switch - Top Mount

Item No. KM20308

- · Easy-to-install on negative battery post
- Battery is disconnected by unscrewing the knob a few turns, and reconnected by tightening the knob
- . Knob can be removed completely to deter theft
- · Compact size fits most battery compartments
- Rated 500 amps surge and 125 amps continuous at 12 volts
- Includes battery terminal markers



Water-Resistant Master Switch Kit Includes 2 Keys & Waterproof Cover

Item No. KM20314

- Excellent for marine or automotive use
- Rated 100 amps continuous, 1000 amps surge, at 12 volts
- Rated below 50 amps continuous, 500 amps surge, at 24 volts
- 2-1/4" diameter x 2-1/2" deep (1-1/4" deep behind panel)
- Two 3/16" diameter mounting holes



Mini Master Battery Disconnect Switches

- For application up to 48 volts DC and can be in either a 2 or 4 position
- ISO 8846 approved
- . Continuous rating: 300 amps
- Intermittent rating: 1000 amps/5 seconds
- · Crank rating: 700 amps/10 seconds
- . Can be used with 1 or 2 batteries
- Dimensions: 69mm x 69mm x 75mm high
- · Surface or panel mount
- · Includes four mounting holes for easy access

Item No.	Style
KM20387	Single Battery - On/Off Knob & Bottom Cover
KM20393	Dual Battery - Off/1/Both/2 Knob & Bottom Cover



Item No. KM20387

