

# KOMATSU®

## Shop & Maintenance Solutions





At Komatsu, as with our machinery, we strive to deliver quality and reliability in our best-in-class shop and maintenance product offering.

It is important to help customers keep their equipment well maintained at all times for maximum performance. Komatsu has partnered with some of the best and most respected companies in the industry to provide traditional shop products as well as innovative, technologically

advanced solutions for your shop and maintenance needs such as indestructible hammers, Bluetooth radios, lubrication equipment, O-ring kits and more.

The products have been selected for their professional quality, form and function in even the most demanding environments while offering an affordable price, making Komatsu products truly an outstanding value.




Radios & Observation Equipment	
2-3	Radios
4	Speakers
5	Cameras & Accessories
6-7	Observation Equipment
Fluid Management Tool	
8	Grease Guns
9-10	Lubrication Accessories
11	Grease Fittings
12	<b>NEW</b> DEF Equipment
13	<b>NEW</b> Fuel Tanks & Lubricant Pumps
14	Fuel Pumps & Meters
15	Filter Wrenches
16-17	Fluid Management
Shop & Safety	
18-21	<b>NEW</b> Safety Products
22-23	<b>NEW</b> Welding Apparel
24-25	Flashlights & <b>NEW</b> Batteries
26	Spill Containment
27	Sorbents
28-29	<b>NEW</b> Gloves
30	Komatsu Genuine O-Rings
31	Hand Cleaners
32	Shop Towels
33	Portable Heaters
34	Safety Eye Wear
35	Fire Extinguishers
36-38	<b>NEW</b> Lift Equipment
39	<b>NEW</b> Creepers

Vehicle Remedies	
<b>NEW</b> Power Supply	39
Battery Solutions	40
Tie Downs	42-43
Trailer Maint. Kits & Bore Brushes	44
Terminal Cleaners & Air Combs®	45
Striking Tools & Tool Storage	
Striking Tools	46
Alignment Bars	47
<b>NEW</b> Tool Storage	48-51
Chemicals	
Stabilizer & Diesel Fuel Additives	52
Tire Sealants	53
Fluid Film®	54
WD-40®	55
J-B Weld®	56
<b>NEW</b> Aerosols	57







### Heavy Duty AM/FM/CD/USB iPod® & iPhone® Ready/SiriusXM-Ready™/Bluetooth® Stereo

Item No. 1400213H1

- 180 watt max output (45W x 4)
- Bluetooth technology (A2DP, AVRCP, HFP)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)
- CD player with 30-second electronic skip protection (ESP)
- Seven-channel NOAA weatherband tuner and "Weather Alert"
- USB input for use with iPod/iPhone, MP3 player or thumb drive
- Electronic AM/FM US/Euro tuner with RBDS
- Front and rear AUX input, plus pre-amp line-out
- MP3/WMA compatible



### Heavy Duty AM/FM/iPod® & iPhone® Ready SiriusXM-Ready™ Stereo

Item No. 1400215H1

- Same features as 1400213H1 with the exception of a CD player and Bluetooth



### Heavy Duty AM/FM Stereo

Item No. 1400211H1

- 160 watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Electronic AM/FM US/Euro tuner with RBDS
- Front AUX-input
- Wireless remote control ready (sold separately)



### Heavy Duty AM/FM/iPod® & iPhone® Ready/SiriusXM-Ready™ Stereo

Item No. 1400204H1

- Same features as 1400215H1 plus:
  - Bluetooth streaming audio (A2DP) and controls (AVRCP)
  - Hands-Free calling via Bluetooth (HFP)
  - JENSEN Omnidirectional microphone\* included
  - Additional USB input on rear pigtail



### Heavy Duty MINI Waterproof AM/FM/WB Radio

Item No. 1400179H1

- 12V DC system—no batteries to recharge or replace

- Front panel AUX-input for use with MP3 players and portable CD players
- Seven-channel NOAA weatherband tuner
- 30 programmable station presets
- Built-in job site work timer
- Two-wire system allows for easy hook up and prevents battery drain (all parts included)



### Universal Mounting Kit for 1400179H1

Item No. 1400180H1

- Includes backing plate and mounting bracket, two-speaker wiring harness, hardware & instructions
- Ideal for skid steers and all open station equipment without a ROPS bar
- Bracket mounts the 1400179H1 and 1400202H1 radios and 1400797H1 speakers (each sold separately)



### Heavy Duty MINI Waterproof AM/FM/WB/Bluetooth® Radio

Item No. 1400202H1

- Same features as 1400179H1 including:

- Works with Jensen Bluetooth Wireless Headphones, as well as most other Bluetooth streaming audio (A2DP) headphones
- Front and rear AUX-inputs for a more permanent installation



### 4" Universal Pedestal Mount

Item No. 1400176H1

- Solid cast/machined aluminum pedestal
- Adjustable thumbscrew knuckle at midpoint
- Universal four-hole mounting pattern is compatible with all Voyager LCD monitors
- Matte black finish



### Heavy Duty Radio Display

Item No. 1401381H1

- Attractive and interactive showroom display
- Buy this new Heavy Duty Radio Display and receive a 1400179H1 Radio and a 1400213H1 Stereo
- Heavy duty black anodized metal
- Can play either radio through speakers
- Features both available antennas
- Key features of all items listed on display

- Includes:
  - MINI Heavy Duty Radio
  - Heavy Duty Radio
  - Waterproof Speakers
  - 14" Heavy Duty Rubber Mast Antenna
  - 6" Heavy Duty Rubber Mast Antenna





### Heavy Duty 5" Deluxe Speakers

Item No. 1400189H1

- Fully weatherproof and designed for outside use
- Max. power handling: 60 watts
- Grille diameter: 5"
- Mounting hole diameter: 3-3/4"

- Mounting depth: 1-1/4"
- Sold as a pair



### Heavy Duty 3.5" MINI Waterproof Surface Mount Speakers

Item No. 1400797H1

- 120 watts max. power handling
- Waterproof for exposed outdoor mounting
- Grille diameter: 5"

- Mounting hole diameter: 3-3/4"
- Mounting depth: 1-5/8"
- Can be surface mounted, flush mounted or mounted using included adjustable "U" bracket
- Ideally paired to the new 1400179H1 MINI Radio
- Includes wiring and hardware
- Sold as a pair



### 4" Heavy Duty Dual Cone Entry Level Speaker

Item No. 1400192H1

- Fully weatherproof and designed for outside use
- Max. power handling: 30 watts
- Grille diameter: 4"
- Mounting hole diameter: 3-3/4"

- Mounting depth: 1-3/4"
- Sold Individually



### Speaker Grille for use with 1400192H1 Speaker

Item No. 1400191H1

- Black 4" ABS Speaker Grille with metal mesh for use with 1400192H1 speaker
- Sold Individually



### Heavy Duty 4" Sealed Waterproof Speakers

Item No. 1400193H1

- 120 watts max. power handling
- Waterproof for exposed outdoor mounting
- Bridge-mounted tweeter
- Grille diameter: 5"
- Mounting hole diameter: 3-3/4"

- Mounting depth: 1-5/8"
- Sold individually



### Heavy Duty Dual Cone Surface-Mount Speakers

Item No. 1400190H1

- 60 watts max. power handling
- RMS Power: 30 watts
- Weatherproof speakers

- Overall Dimensions: 6.69" x 4.76" x 4.43" each
- Sold as a pair



### Heavy Duty 5.25" Sealed Waterproof Speakers

Item No. 1401800H1

- 135 watts max. power handling
- Waterproof for exposed outdoor mounting
- Grille diameter: 5-1/2"
- Mounting hole diameter: 5"

- Mounting depth: 2-1/8"
- Sold individually



### 10 Amp. 24-12 Volt DC Converter

Item No. CE241210A

- 10 amp maximum load capability

- Suitable for most high power radios and accessories

- For use with 24 volt negative ground systems

- All aluminum housing

- Dimensions: 4-3/8"W x 2"H x 3-1/2"D



### Color CMOS IR LED Camera

Item No. 1401376H1

- High-performance color optics
- Waterproof (IP69K)
- Viewing angle: 155°
- IR low-light assist (10 LEDs)
- Selectable Normal/Mirror orientation

- Microphone

- Aluminum housing
- Corrosion Resistant (ASTM B117)



### Super CMOS Color Rear Mount Observation Camera

Item No. 1400206H1

- 12 volt DC
- High-performance CMOS sensor
- Waterproof (IPX7)

- Viewing angle: 117°

- NTSC video output signal format
- Excellent low-light and bright daylight performance
- Mirror (reversed) image orientation
- Dimensions: 3.4"W x 1.7"H x 1.7"D



### Color CMOS IR LED Camera

Item No. 1400205H1

- High-performance CMOS sensor
- Waterproof (IP69K)
- Viewing angle: 150°/120°/90°
- IR LED assisted illumination
- Microphone
- Compact size

- Corrosion resistant (ASTM B117)

- FCC, E9 certified
- Dimensions (without bracket): 1"W x 1"H x 1.32"D

### 14" Top or Side Mount Rubber Mast Antenna

Item No. 1400198H1

- Attached 59" cable

- Rubber gasket for watertight mounting
- Mounting base adjusts 90° for either top or side mounting

- Package includes antenna, mounting hardware and instructions

- Rubber mast prevents breakage associated with normal metal mast antennas



### 6" Top or Side Mount Rubber Mast Antenna

Item No. 1400799H1

- Attached 39" cable
- 6" rubber mast prevents breakage
- Heavy duty design



### SIRIUS® Satellite Vehicle Antenna

Item No. 1401581H1

- Includes 20' cable
- Magnetic base mounts easily to vehicle
- Low-profile, weather-resistant design can withstand most weather conditions



### SiriusXM™ Satellite Tuner Box

Item No. 1401580H1

- For use with SiriusXM-Ready™ stereos
- Connect, control and enjoy SiriusXM through the in-dash audio system
- Compact size allows for installation behind the dash and out of sight

- Single interface cable connection simplifies installation
- Exterior antenna and subscription required (sold separately)

### Extension Cables

- Rear view LCD monitor cable that connects a Voyager LCD observation monitor with a Voyager side or rear camera



1400099H1

- Weatherproof connectors on both ends allows multiple "daisy-chain" connections up to 200 ft. max.

- Non-corrosive locking connectors with four-pin round plug



1400175H1

Item No.	Length
1401065H1	15'
1400099H1	25'
1400100H1	50'
1400175H1	75'



### 144" Universal AM/FM Antenna Extension Cable

Item No. 417967A220

- Compatible with all JENSEN AM/FM Antennas

- Includes impedance matching capacitor
- Designed for use with AM/FM Stereos



# Observation Equipment



## Voyager 5.6" Medium Duty Rear View LCD Monitor with Two Camera Inputs

Item No. 1401374H1

- 12 Volt power system
- NTSC video signal compatible

- High performance observation Rear View Monitor that will aid drivers in backing up, changing lanes, merging into traffic, and making wide turns
- Has versatile mounting capabilities, as it can stand alone on various sized pedestal mounts or can be mounted in a custom overhead shroud or housing



## 7" LCD Touchscreen Monitor with Four Camera Inputs

Item No. 1400096H1

- Energy efficient white LED illumination
- Back-lit controls

- Integrated audio speaker
- NTSC and PAL video signal compatible
- Turn-signal (pulsed DC) compatible trigger inputs
- On-Screen Display (OSD) for AV source, picture adjustment and volume level
- Dimensions: 7"W x 4.7"H x 1.1"D



## 7" Waterproof Rear View LCD Monitor

Item No. 1400095H1

- Dust and waterproof (IPX5)
- Dual 24 or 12 volt operation

- Built-in speaker

- Three camera inputs - 12 volt triggers for automatic selection
- Dimensions: 7.75"W x 5.25"H x 1.13"D



## Voyager Heavy Duty Single Camera Observation System

Item No. 1400177H1

- System includes:
  - 1 – 7" Waterproof Rear View LCD Monitor
  - 1 – Color CCD IR LED Camera
  - 1 – 4" Universal Pedestal Mount
  - 1 – 25' Camera Extension Cable
  - 1 – 75' Camera Extension Cable



## Voyager Heavy Duty Two Camera Observation System

Item No. 1400178H1

- System includes:
  - 1 – 7" Waterproof Rear View LCD Monitor
  - 2 – Color CCD IR LED Cameras
  - 1 – 4" Universal Pedestal Mount
  - 2 – 25' Camera Extension Cables
  - 1 – 75' Camera Extension Cable



## Voyager Heavy Duty Four Camera Observation System

Item No. 1400237H1

- System includes:
  - 1 – 7" Touchscreen Monitor with Four Camera Inputs
  - 4 – Color CCD IR LED Cameras
  - 1 – 4" Universal Pedestal Mount
  - 4 – 25' Camera Extension Cables
  - 1 – 75' Camera Extension Cable



## ToughCam® Single Camera System

Item No. 1401582H1

- System includes:
  - 1 – 7" LCD Monitor
  - 1 – Super CMOS Color Camera
  - 1 – 4" Universal Pedestal Mount
  - 1 – 25' Camera Extension Cables
  - 1 – 75' Camera Extension Cable



## ToughCam® Two Camera System

Item No. 1401583H1

- System includes:
  - 1 – 7" LCD Monitor
  - 2 – Super CMOS Color Camera
  - 1 – 4" Universal Pedestal Mount
  - 2 – 25' Camera Extension Cables
  - 1 – 75' Camera Extension Cable



## Observation System Display

Item No. 1400207H1

- Attractive and interactive showroom display
- Buy the new Voyager ToughCam Observation Countertop Display and receive two CMOS Color Cameras and two 1400099H1 Cables
- Built for the AG and light construction industry
- Excellent night vision
- Available in a one or two camera package
  - Add a third camera for maximum coverage
  - Very durable monitor & camera

- Includes:
  - 7" LCD Observation Monitor
  - Super CMOS Color Observation Camera
  - Card reader – For use to play observation camera footage video
  - Two Super CMOS color cameras and two 25' cables



**Lever Action Grease Gun**

Item No. KMGF83719

- Heavy duty aluminum die cast head with air bleeder
- Includes 6" steel extension and 4-jaw coupler
- Built-in variable stroke mechanism
- Heavy duty lever handle with grip
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Develops 10,000 PSI

**Pistol Grip Grease Gun**

Item No. KMGF28995

- Heavy duty aluminum die cast head with air bleeder
- Comfortable one-hand operation
- Heavy duty pistol handle with rubber grip
- Develops 6,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 18" flexible hose extension and 4-jaw coupler

**Air Operated Continuous Flow**

Item No. KMGF63517

- Includes 6" steel extension and coupler
- Bulk loader valve
- Heavy duty aluminum die cast head
- Use 14 oz. cartridge or bulk fill
- 1/4" NPT air inlet


**19.2V Cordless Battery Grease Gun**

Item No. KM47220 Grease Gun Kit includes 1 Rechargeable Battery

Item No. KM47221 Grease Gun Kit includes 2 Rechargeable Batteries

- Powerful 19.2V high torque motor
- Pressure release valve prevents gun from damage due to excessive back pressure
- Up to 6,000 PSI (413 bar) output grease pressure
- Grease output up to 3 oz. (85 grams) per minute in free flow
- Automatic air bleeder and bulk loader
- Grease Gun Kit includes:
  - Durable molded case
  - One "one hour quick charge" battery charger
  - 30" (762 mm) high pressure hose with spring guard on both ends (prevents hose kinking)
  - High pressure grease coupler

Item No.	Replacement Accessories
KM47256	30" Replacement Hose
KM47258	Rechargeable Battery , 19.2V , 1.5 Ah, Lithium Ion
KM47251	1 Hour Battery Charger (Lithium Ion), 110V /60 Hz, 19.2V, US Plug

**Heavy Duty Grease Gun Holder**

Item No. KMGF26844

- Secures most battery-operated grease guns
- Mount as needed with 1/4" carriage bolts (not included)
- Rugged holder firmly secures standard size tube-style grease guns

**Grease Gun Holder**

Item No. KMGF44840

- Perfect for safe and convenient storage of grease gun
- Simple snap action design
- Zinc plated finish
- Durable heavy gauge steel sheet construction
- Mounts on almost any surface

**6" Steel Extension**

- Straight adaptor
- 1/8" NPT

Item No.	Style
KMGF44829	Straight
KMGF44802	Bent

**Flexible Hose**


- Highly flexible, durable thermoplastic construction
- Flexible hose extension for hard-to-reach places
- Fitted with 4-jaw professional coupler
- Minimum radius bend of 1.57"
- Working pressure of 3,500 PSI
- Hose ID: 0.14" / OD: 0.33"
- Hydraulic crimped zinc plated connectors

Item No.	Length
KMGF6231	12"
KMGF6232	18"

**Pistol Grip Oil Can**

Item No. KMGF41820

- 6 oz. base with 6" rigid spout
- All steel construction from tin-coated sheet
- Springless suction valve design provides trouble-free performance
- Two ball valve for large volume delivery
- Premium powder coated finish for durability

**1 Pint Lever Oil Can**

Item No. KMGF41810


- Large handle design for easy and comfortable grip
- Includes flexible 9" spout
- Two ball valves for large volume delivery per stroke
- Springless suction valve design provides trouble-free performance

**Grease Joint Rejuvenator**

Item No. KM7862



- Includes 5" flex hose for hard-to-reach areas
- Unclog frozen grease joints
- Works on all types of equipment for farming, excavating, construction and industrial equipment, aircraft, automobiles, trailers and more

**Pocket Grease Joint Rejuvenator**

Item No. KM7864

- Produces 2-1/2 times more pressure than the larger Grease Joint Rejuvenator (KM7862)
- Smaller and lighter but works in the same way as the kit model (KM7862)





## 4-Jaw Coupler

- 1/8" NPT
- Hardened coupler body
- Hexagonal nut for easy tightening

KMGF43502  
Standard Duty

KMGF43522  
Heavy Duty

Item No.	Working Pressure
KMGF43502	6,000 PSI
KMGF43522	10,000 PSI



## 360° Heavy Duty Swivel Coupler

Item No. KMGF44911

- 45° angle gives easy access to most grease fittings
- 1/8" NPT female inlet

- Jaws are fully hardened for extended service life
- Spring loaded ball check valve helps retain pressure
- Metal seal for increased resistance to wear
- Working pressure up to 7,000 PSI



## 90° Heavy Duty Coupler

Item No. KMGF61912

- Designed to work at any 90° angle

- Locks coupler in place for straight applications
- Polyurethane seal for optimal fit inside coupler when contact with grease fitting is made
- Working pressure up to 1,000 PSI



## Needle Nose Grease Dispenser

Item No. KM86579

- Used for dispensing a fine line of grease
- Needle design allows operator to contact flush or hard to reach hydraulic type fittings in inaccessible areas
- Can be attached directly to steel extensions or flexible hoses
- Ideal for sealed bearings and u joints



## Grease Injector Needle with Cap

Item No. KMGF81252

- 1-1/2" long, 18 gauge

- Designed for very tight spaces such as sealed bearings and universal joints
- Comes complete with protective plastic holder
- Equipped with standard grease fitting without back check

## 7 Piece Quick Connect Grease Accessory Kit

Item No. KMGF44950



- Tough, oil resistant nylon pouch
- Includes:
  - Professional recessed lube adapter with quick disconnect
  - Whip hose with heavy duty coupler and quick connect
  - Jaw type coupler
  - Narrow needle nose adapter
  - 90° angle adapter/right angle adapter
  - Regular coupler to right angled coupler
  - Stainless steel 1-1/2" grease injector needle



Grease Fitting  
Straight



Grease Fitting  
Angled 45°



Grease Fitting  
Angled 90°

## SAE Grease Fittings

Item No.	1/8" - 27 Pipe Threads PTF	Hex Size
KMGF46035	Straight Short	7/16"
KMGF46041	45°	7/16"
KMGF46042	65°	7/16"
KMGF46044	90°	7/16"
Item No.	1/4" - 28 SAE-LT - Taper Threads	Hex Size
KMGF46000	Straight	5/16"
KMGF46003	45°	3/8"
KMGF46006	90°	3/8"
Item No.	1/4" - 18 Pipe Threads NPT	Hex Size
KMGF46020	Straight	9/16"

## Metric Grease Fittings

Item No.	M6 x 1	Hex Size
KMGF46200	Straight	9.0
KMGF46201	45°	9.0
KMGF46202	90°	9.0
Item No.	M8 x 1	Hex Size
KMGF46220	Straight	9.0
KMGF46222	45°	9.0
KMGF46223	90°	9.0
Item No.	M10 x 1	Hex Size
KMGF46230	Straight	11.0
KMGF46231	45°	11.0
KMGF46232	90°	11.0

\* All makes Grease Fittings Selection, not meant for direct replacement of OE specified grease fittings



## 100 Piece SAE Grease Fitting Assortments

Item No. KMGF44710

- Ball check
- Heat-treated greasing end and springs
- Premium quality

Threads	Straight	Straight Long	45°	90°
1/4" 28 SAE-LT	25	5	10	10
1/8" 27 SAE-PTF	30	-	10	10

## 60 Piece Metric Grease Fitting Assortments

Item No. KMGF44712

- Ball check
- Heat-treated greasing end and springs
- Premium quality



Threads	Straight	45°	90°
M6 x 1	10	10	10
M8 x 1	5	5	5
M10 x 1	5	5	5





## DEF Tote Mounting Kits

- Tote not included
- Available with 110V or 12V pump

	Basic	Basic with Micromatic Valve	Advanced	Premium
Kit includes Electric 110V AC DEF Pump (Pump #KM47500)	KM47320	KM47321	KM47322	KM47323
Kit includes 12V AC DEF Pump (Pump #KM47501)	KM47324	KM47325	KM47326	KM47327
Stainless Steel Tote Mounting Plate: #KM47530	✓	✓	✓	✓
DEF Digital Turbine Meter: #KM45671				✓
Nylon Manual DEF Nozzle: #KM45589	✓	✓		
SS Auto Shut-Off DEF Nozzle with Swivel: #KM45567			✓	✓
Micromatic RSV Dispense Coupler 744-048: #KM47511		✓	✓	✓
Inlet Hose (EPDM) 6' Long x 3/4" ID: #KM47522	✓	✓	✓	✓
Discharge Hose (EPDM) 20' Long x 3/4" ID: #KM47523	✓	✓	✓	✓
Suction Hose (EPDM) 5' Long x 3/4" ID: #KM47521	✓			
Connecting Hardware: #KM47519	✓	✓	✓	✓



## DEF Drum Mounting Kits

- Drum not included
- Available with 110V or 12V pump

	Basic	Basic with Micromatic Valve	Advanced	Premium
Kit includes Electric 110V AC DEF Pump (Pump #KM47500)	KM47340	KM47341	KM47342	KM47343
Kit includes 12V AC DEF Pump (Pump #KM47501)	KM47344	KM47345	KM47346	KM47347
Stainless Steel Drum Mounting Plate: #KM47531	✓	✓	✓	✓
DEF Digital Turbine Meter: #KM45671				✓
Nylon Manual DEF Nozzle: #KM45589	✓	✓		
SS Auto Shut-Off DEF Nozzle with Swivel: #KM45567			✓	✓
Micromatic RSV Dispense Coupler 744-048: #KM47511		✓	✓	✓
Inlet Hose (EPDM) 4' Long x 3/4" ID: #KM47520	✓	✓	✓	✓
Discharge Hose (EPDM) 20' Long x 3/4" ID: #KM47523	✓	✓	✓	✓
Suction Hose (EPDM) 4' Long x 3/4" ID: #KM47520	✓			
Connecting Hardware: #KM47519	✓	✓	✓	✓

## Poly Diesel Units



- Completely assembled and ready to use
- 12 volt rotary vane DieselFlo pump with 10 GPM flow
- 1 year pump warranty
- Complete with 16' of heavy duty hose
- No water condensation or rust
- Lightweight, robust design with built-in easy-lift handles
- Lockable pump cover to protect your expensive pump
- Tested and proven for over 10 years!
- Sizes range from 25 gallon to 100 gallon

Item No.	Capacity	Dimensions
KMRDU025C10D	25 Gallon - Compact	32" L x 27" W x 20" H
KMRDU055C10D	55 Gallon - Compact	32" L x 27" W x 30" H
KMRDU055S10D	55 Gallon - Standard	48" L x 34" W x 22" H
KMRDU075N10D	75 Gallon - Narrow	51" L x 21" W x 31" H
KMRDU100N10D	100 Gallon - Narrow	51" L x 21" W x 38" H
KMRDU100S10D	100 Gallon - Standard	47" L x 34" W x 31" H

## Poly DEF Units




- High quality stainless steel pumps and auto shut-off handles
- Fully enclosed lockable pump compartment for security
- All poly and stainless steel construction for DEF compatibility
- Molded-in handles for easy lifting
- Complete with 20' of heavy duty hose
- Long reach hose with auto shut-off nozzle
- Lightweight, robust design
- Sizes range from 25 gallon to 100 gallon

Item No.	Capacity	Dimensions
KMDEFC2512V9	25 Gallon - Compact	32" L x 27" W x 20" H
KMDEFC5512V9	55 Gallon - Compact	32" L x 27" W x 30" H
KMDEFN7512V9	75 Gallon - Narrow	51" L x 21" W x 31" H
KMDEF10012V9	100 Gallon - Narrow	51" L x 21" W x 38" H

## Battery Operated Drum Pump

Item No. KM45503



- Rechargeable battery operated
- 12V DC Power Cable included
- For pumping fuels, water based media, light oils, DEF & select chemicals from metal drums of 55 gallon or 275-330 gallon IBC's
- Stainless steel filter built into the suction tube inlet prevents contaminants from getting in & causing damage
- Telescopic suction tube extends from 33-1/2" to 49"
- 6.6' hose & manual dispensing nozzle with 3/4" OD stainless steel spout
- Delivers up to 4.86 GPM

## Battery Operated Siphon Pump

Item No. KM44410



- Battery operated pump for quick & convenient transfer of Diesel, Kerosene, Light oils & water based media
- Ideal for transferring small quantities of media into boats, garages & small shops
- Delivers: up to 1.8 GPM
- Suitable for use on 5 gallon containers
- Self Priming pump—works on a battery operated 3V DC motor
- Hang hole provided at top allows pump to be conveniently stored when not in use
- Works on 2 "D" size (LR20) Alkaline Batteries (not included with the pump). Approx. working life with one set of batteries is 396 gallons

- Complete with 23-1/2" long flexible corrugated discharge hose
- Total length: 24.6"
- Suction tube length: 14.8"

## Air Operated Grease Pump

Item No. KM45415



- Dispenses grease at pressures up to 50 times the air inlet pressure
- Ideal for use in industry, workshop, farm, construction or as part of the mobile grease system
- Fitted with strainer at suction tube inlet for clean grease to the bearing

- Working pressure 30 to 150 PSI



### Heavy Duty Electric Oil Pumps



- Designed specifically to transfer bulk oils, hydraulic fluid and antifreeze
- Air cooled motor with thermal protection
- Non-corroding aluminum die cast construction is lightweight yet strong
- Precision sintered metal gear design
- High horsepower to flow ratio assures adequate power to pump viscous fluids at low temperatures
- Self-priming, positive displacement design
- Features internal bypass valve to bypass flow

Item No.	Volts	GPM
KMGF45550	115V AC	4.4
KMGF45555	115V AC	9.0

### Heavy Duty Electric Fuel Pumps



- Industrial grade high flow designed for heavy duty usage
- Rain and weather proof for tough outdoor usage
- Precision sintered metal gear design
- Non-corroding aluminum die cast construction is lightweight yet strong
- Geared construction is tolerant to contaminants in fuel, with maximum suction
- cUL, ATEX & IECEx listed motor, duty cycle: 30 mins. on / 30 mins. off

Item No.	Volts	GPM
KMGF44040	12V DC	15
KMGF44042	115V AC	15



### Digital Fuel Meter

Item No. KMGF45651

- Digital turbine meter for low viscosity fluids
- Easy to install in-line or for end of line
- Measures in liters, quarts, pints, gallons
- Aluminum body and sealed electronic card, ideal for use in severe weather conditions
- Display can be rotated in four different positions

### High-Flow Fuel Nozzle With Digital Fuel Meter



Item No. KM9048

- Integrated digital flow meter and fuel nozzle
- Select gallons, liters, quarts or pints
- 1" NPT inlet
- Non-locking type
- Works with common diesel, gasoline, kerosene
- Use with any barrel-type or standard fuel transfer pump



### Fuel Control Nozzle

- For use with electric fuel pumps
- Built-in sensor automatically shuts off supply
- Heavy duty cast aluminum body and trigger, vinyl grip

Item No.	Mode	Swivel
KMGF45590	Manual	Yes
KMGF45591	Manual	Yes
KMGF45570	Automatic	No
KMGF45571	Automatic	No

### Mechanical Fuel Meters



- Durable die cast aluminum construction
- Nutating disc mechanism offers high tolerance to fuel contamination
- Works with either fuels or oils
- Three port design allows meter to be fitted in-line or with inlet and outlet ports at right angle

Item No.	NPT
KMGF45682	3/4"
KMGF45685	1"



### Large Filter Wrench Pliers

Item No. KM29100

- Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Jaw range of 4-1/4" to 7" and 17" overall length
- Rubber grip handles provide leverage and extra reach
- Better grip and grabbing power with serrated teeth
- Heavy duty forged construction

### Gator Jaws

Item No. KM7899



- Removes any canister-type oil, hydraulic and fuel filter safely around hot engines and those hard-to-reach areas
- 23" long reach for overtightened, hard-to-reach filters
- Perfect for all vehicles from light trucks and autos to heavy machinery
- Works on 1-1/2" to 8" diameter filters



### Nylon Strap Oil Filter Wrench

Item No. KM27900

- Use with 1/2" square drive
- Strong nylon web belt will not slip
- Adjusts quickly to any spin-on filter up to 6" in diameter



### Oil Filter Wrench

- Cushion grip vinyl handle
- Wide dimpled band securely grips filters without crushing
- Features a swivel handle which allows users to get to filters in hard-to-reach areas

Item No.	Size	Filter Diameter
KM24300BLK	Small	2-13/16" to 3-5/32"
KM24100BLK	Medium	3-1/2" to 3-7/8"
KM23900BLK	Truck/Tractor	4-3/4" to 5-1/8"

### Truck Filter Wrench

Item No. KM28100



- Use with 1/2" square drive
- Fits small diameter filters from 4-1/8" to 4-21/32"
- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters







### Standard Screen Funnels

- Spout length reduces over-pouring and spillage
- Outer ribbing design eliminates air lock
- In-spout safety screen reduces contamination
- Ideal for agriculture and industry

Item No.	Capacity	Top ID	Spout ID	Height
KM32092	1 Pint	4-1/2"	1/2"	6"
KM32003	2 Quart	6-1/2"	1-1/16"	8-1/2"
KM32007	6 Quart	8-1/2"	1-5/16"	10-1/2"



### Capped Funnel

- Color-coded system for identification of fluids used with each funnel
- Durable polyethylene construction
  - Ideal for agriculture and construction industry
- Cap prevents funnel from collecting engine grime, dirt and other contaminants
- Promotes a clean workshop and fights contamination
- Unique design prevents leftover fluid from dripping out

Item No.	Capacity	Top ID	Spout ID	Height
KM32105	1 Pint	3"	1/2"	9-1/2"
KM32115	1.25 Quart	4"	5/8"	10-1/2"
KM32130	1.5 Quart	4"	5/8"	17"
KM32140	1.5 Quart	4"	1-1/8"	13-1/4"



### Type 1 Metal Gas Cans

- Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Comfortable rounded grip doesn't cut into hand
- Rugged 24 gauge construction is guaranteed leak-proof
- Reinforcing ribs strengthen side wall for extra protection
- Premium coated steel is chemically resistant to handle gasoline, diesel fuel, kerosene and other chemicals
- Accepted container under CARB
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
- FM, UL, ULC certified

Item No.	Capacity
KMSP7012EA-R	1 Gallon
KMSP7013EA-R	2 Gallon
KMSP7015EA-R	5 Gallon



### Universal Pour Spout Funnel

- Item No. KMSP7014EA
- Attaches quickly for leak-free, safe pouring
  - FM certified

- For use with Type 1 Metal Gas Cans
- The innovative hinged design takes up less space during storage and allows you to fill or pour from the can without removing the funnel



### 1 Pint Funnel with 21" Flex Hose

- Item No. KM32832
- Fights contamination and promotes a clean workshop
  - Durable polyethylene construction withstands exposure to oils and fluids
  - Unique design prevents leftover fluid from dripping out
  - Spout ID: 1/2"
  - Top ID: 5"



### Plastic Fuel Containers


- Spout closes automatically with an airtight seal
- Wide base design and lower center of gravity reduce the chance of tipping over
- Easy-flow/spill-proof spout for safe fuel storage and easy pouring
- Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards

Item No.	Capacity	Fuel Type
KM21505	1 Gallon	Gasoline- Red
KM21510	2 Gallon	Gasoline - Red
KM31733	5 Gallon	Gasoline - Red
KM31754	5 Gallon	Diesel - Yellow
KM31777	5 Gallon	Kerosene - Blue



### Oil Drip Tray

- Item No. KM40092
- 22" x 22" x 1-1/2"
  - Chemically-resistant polypropylene
  - Three gallon capacity



### Pour Spout

- Chemically-resistant clear tube keeps contents visible
- Comes with adapter for Reike threaded nozzle
- Flexible spout ideal for hard-to-reach areas
- Eliminate unwanted drips with the included cap

Item No.	Container/Pail Size
KM32177-7	Quart, 1 Gallon & 5 Gallons
KM32179	2-1/2 Gallon



### 4 Gallon Oil Drain Pan

- Item No. KM32953
- Overall height: 5-1/2"
  - Top ID: 17-3/4"

- 1" diameter pour spout built into the pan





## Surveyor's Style Vest

- Solid front
- Mesh back
- 3M reflective material
- Zipper closure
- 4 front pockets

Item No.	Size
KMGLO-003-M	Medium
KMGLO-003-L	Large
KMGLO-003-XL	X-Large
KMGLO-003-2XL	2X-Large
KMGLO-003-3XL	3X-Large
KMGLO-003-4XL	4X-Large



## Standard Safety Goggles, Non-Vented

Item No. KMFE2020EA

- Ventless, rubber strap, clear anti-fog lens
- Our goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators

- The transparent protective PVC body permits a comfortable fit over prescription eye wear while protecting against impact
- Goggle straps contain no Latex



## Face Shield—Positive Lock Headgear

Item No. KMFE2000EA

- This lightweight face shield features an 8"x12"x 0.04" PETG plastic window
- Positive Lock headgear has two snap-in straps that adjust independently to ensure a tight fit

- Yellow, high-impact plastic single crown
- Compliance: EPA 40 CFR 170 for chemical splash eye protection
- Meets ANSI Z87.1-1989 and CAN/CSA-Z94.3-92



## Standard Safety Goggles, Direct Vent

Item No. KMFE1903EA

- Use this great quality goggle for protection against dust and flying debris in landscaping, agricultural, harvest and general maintenance applications

- Made from soft, green PVC with a clear polycarbonate lens and elastic headband
- Fits conveniently over most prescription eye wear
- Meets ANSI Z87.1 specifications

## Oily Waste Can with Hand-Operated Cover

- Used for rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when improperly discarded



- Round construction and elevated base allow circulation of air around can to disperse heat and reduce moisture build-up and rusting
- Lid opens to no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen to virtually eliminate the risk of spontaneous combustion

- Durable steel construction with a powder-coat finish provides chemical resistance
- Ten-year warranty

Item No.	Capacity
KM9100	6 Gallon
KM9300	10 Gallon

## Sqwincher® 1.26 oz. Qwik Serv™ Instant Powder Concentrate



- Electrolyte packet drink
- Yields 16.9 ounces (8 packs per bag)
- Pouches are perfect for people who want to keep it simple
- Just pour the portable powder into a ½ liter bottle of water whenever you get the urge

Item No.	Flavor
KM060904-GR	Grape
KM060900-OR	Orange
KM060901-FP	Fruit Punch
KM060902-LL	Lemon Lime



## Plastic Stop/Slow Paddles

Item No. KM03-823P

- Color : red/orange
- Pole mounted paddle
- Includes 18" handle



## Vinyl Flag 18" with 24" Wooden Dowel

Item No. KM03-229-3417

- Handheld warning flag
- Heavy duty vinyl material
- Available in red on orange color
- Measures 18" x 18"



## 18" Bright Red Vinyl Flag with 24" Wooden Dowel

Item No. KM03-229-3424

- Handheld warning flag



## 18" Traffic Cone

Item No. KM8888

- 18" Orange PVC Traffic Cone with black base is made PVC for superior durability and superior flexibility
- Cone features a UV inhibitors to prevent fading
- Meets MUTCD standards and are NCHRP-350 certified



## 28" Cone with 6" Upper 4" Lower Reflective Collars

Item No. KM03-500-10

- All vinyl construction assures durability and flexibility in all weather conditions
- Ultraviolet stabilized color provides maximum resistance to fading
- High density, black base creates low center of gravity for maximum stabilization



## 28" Rack N Pop Collapsible Cone

Item No. KM03-501-02


- 28" orange cone
- Waterproof nylon construction assures durability and flexibility in all weather conditions
- Collapses to 2" height and stores in easy-to-carry portable bag



## Cone Bar Barricade Kit

Item No. KM03-824-CBKT

- 2 delineators
- 2 cone bars
- 2 10 lb. weights



## Retractable Cone Bar

Item No. KM03-824CB

- Lightweight at approx. 2 lbs.
- Exterior grade PVC with UV withstands temperature extremes and sunlight

- Traffic cone orange with three 4" high intensity collars
- Extremely reflective at night
- Easily Extends From 5' to 8'
- Unique push pin locking mechanism
- Can create an Instant square barrier system from 5' x 5' or up to 8' x 8' in seconds



## Flared 45" Easy Grab Delineator Post

Item No. KM03-734

- 45" with 2 each 3" high collars
- Post only



## Delineator Base

Item No. KM03-730

- 14" wide x 3" high, 10 lbs.
- Includes 5" diameter center hole



## Heavy Duty Wheel Chock

Item No. KM2048WC

- Fluted design causes downward pressure to lock chock into place
- Metal o hook imbedded in back
- Depth: 8"



## 6' Parking Block

Item No. KM2050PB

- 14" Painted Spike KM2053S sold separately



## 6' Speed Bump

Item No. KM2055SB

- 14" Painted Spike KM2053S sold separately





Front

Back

### Safety Vest Class 2

- Constructed from non-woven material
- Breathable mesh vest features 2" 3M reflective tape, an inside pocket, 3 front snap closure and adjustable Velcro sides that accommodate changes in outerwear and for more flexible sizing
- Color: Hi-Vis Lime, Fiberweb brand
- Wash up to 5 times


Item No.	Size	Komatsu Logo	Dist. Logo
KMBW0510-S/M	Small/Medium	Yes	No
KMBW0510-L/XL	Large/X-Large	Yes	No
KMBW0510-2X/3X	2X-Large/3X-Large	Yes	No
KMLBW0510D-S-M	Small/Medium	Yes	Yes
KMLBW0510D-LXL	Large/X-Large	Yes	Yes
KMLBW0510D-2X3	2X-Large/3X-Large	Yes	Yes

### Basic Tyvek Coverall

- Collar and full zipper front
- Economical, water-repellent coverall offers basic protection against dust, powders and grease, as well as splash protection from Class III and Class IV pesticides
- EPA 40 CFR 170 compliant
- Open wrists and ankles



Item No.	Size
KMBW1920-L	Large
KMBW1920-XL	X-Large
KMBW1920-2X	2X-Large
KMBW1920-3X	3X-Large
KMBW1920-4X	4X-Large



### Pura-Fit Foam Earplugs

- Bright green color for easy compliance checks
- Available in uncorded or corded versions
- Earplugs have a longer, tapered shape for easy insertion and removal in any size ear canal
- Smooth, non-irritating surface provides a comfortable and effective fit
- Noise Reduction Rating: 33 dB

Item No.	Desc.
KMEP2026BX	Corded
KMEP2025BX	Uncorded



### Contra Band Earplugs

Item No. KMEP6710EA

- Super soft ear tips conform to the ear canal for optimal fit and maximum comfort
- Band has molded finger grips and is angled to fit perfectly every time you put it on
- Designed to wear with band under the chin
- Meets CSA Class BL
- Noise Reduction Rating: 22 dB
- Made in USA



### Slow Moving Vehicle Signs & Mounting Hardware

- ASAE (S276.6) approved and State of Illinois compliant
- 14"H x 16"W
- Made with high-intensity, micro-prismatic reflective and fluorescent materials
- Complete, easy to install hardware kit for mounting SMV signs (KM3040—sold separately)

KM3040

Item No.	Material	Thickness
KM3010	Aluminum	.04"
KM3020	Plastic	.80"
KM3030	Adhesive	
Item No.	Description	
KM3040	Mounting Hardware Kit	

### N95 Particulate Respirators with Valve

Item No. KMRS2300PK



- Ventex® valve gets hot air out faster, so breathing resistance is reduced and workers stay cooler
- Convenient 5-pack personal locker has a separate compartment for the mask being used
- Perfect for hot, humid, dusty conditions
- Dura-Mesh® flame-retardant shell protects the filter media so it stays cleaner longer and resists collapsing

### Freedom® Disposable Respirator Organic Vapor/R95 Filters

Item No. KMRS2155EA-L



- Pre-assembled with cartridges/prefilters and ready to use
- Features rolled edges, a broad sealing flange, chin port and forward angled nose piece for a secure, comfortable fit
- Eliminates assembly mistakes and the need for cleaning and maintenance
- Ideal for extremely dusty or dirty applications where cleaning is difficult, including paint and pesticide spraying, welding, primary metals, automotive and chemical operations



### High-Intensity Warning Strobe

Item No. KMER1000-Y

- Flashes 70 times per minute with 300 candelas of brightness
- Lanyard allows it to be carried like a lantern
- High-intensity flash is visible for over one mile in clear conditions
- Dimensions: 5-1/4" tall, 4" diameter base
- Two standard D batteries (not included) deliver 48 hours of continuous flashing



### Compact First Aid Kit

Item No. KM6082



- 94 piece kit
- Inner gasket seals out moisture so contents stay dry and ready to use
- Fits in vehicle glove box or can easily be wall-mounted
- Rust-proof, durable polypropylene case

### V-Gard® Cap Style Hard Hat



- Third party certified by the Safety Equipment Institute (SEI)
- Stocked in standard size (fits 6-1/2 to 8)
- Features 4-point, Fas-Trac® ratchet suspension
- Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) as outlined in ANSI Z89.1 2003, Class E
- Consists of polyethylene shell and suspension that work together as a protection system

Item No.	Color
KMFE2250S-Y	Yellow
KMFE2250S-W	White





## Welding Helmet, Solar Powered Auto Darkening

Item No. KM41260

- Protects against UV and infrared radiation in variable shades from DIN 9 to DIN 13
- Lens automatically darkens when an arc is struck and returns to normal when welding stops
- Powered by solar cells with battery back-up



## Welding Helmet, Auto Darkening

Item No. KM41254

- Durable, lightweight material is corrosion resistant and flame retardant
- Protects against UV and infrared radiation
- Automatic shut-off saves batteries
- Complies with DIN, ISO EN379 and ANSI Z87.1 standard
- 3.5" x 1.5" viewing area



## Welding Helmet, Wide-View Solar Power

- Protects against UV and infrared radiation in variable shades from DIN 9 to DIN 13
- Lens automatically darkens when an arc is struck and returns to normal when welding stops
- Powered by solar cells with battery back-up

Item No.	Design
KM41265	Eagle/Flag
KM41266	Flame



## Clear Protective Replacement Lens

- Clear cover safety welding lenses
- Works with KM41260
- Protect shaded lens from spatter and debris
- Includes both inner and outer lens

Item No.	Viewing Area	Fits Helmets
KM41264	4" x 2.125"	KM41265, KM41266
KM41261	4" x 2"	KM41260



## Leather Apron Bib with 2 Chest Pockets

- Bourbon brown side split leather bib apron with two chest pockets
- Cotton crossed back straps and side release buckles

Item No.	Size
KM64055142	24" x 42"
KM64055143	24" x 48"



## Pearl Gray 14" Shoulder Split Cowhide Welders Gloves

Item No. KM64057602

- Cotton sock lined welders gloves
- With wing thumb
- Affordable standard shoulder split cowhide



## Large Bourbon Brown 14" Select Shoulder Split Cowhide

Item No. KM64057632

- Cotton lined welders gloves
- Reinforced, straight thumb
- Tightest and densest structure



## Suede Cowhide Welders Gloves

Item No. KM1919LB

- Welder/fireplace gloves
- Partially welted seams
- Sock lining



## Premium Suede Cowhide Welders Gloves

Item No. KM1914LB

- Welder/fireplace gloves
- Partially welted seams
- Sock lining







### Septor Flashlight

Item No. KMER61008

- All LED Technology
- 3 AAA alkaline batteries included
- A combination of seven three-way adjustable brilliant white LED bulbs in this flashlight give you hands-free flexibility and long run time
- Adjustable fabric head strap, 90° tilt movement, water-resistant thermoplastic yellow body, rubber-shielded bezel and unbreakable polycarbonate lens



### Trident Flashlight

Item No. KMER61063

- Xenon Bulb plus LED Technology
- Includes an adjustable fabric head strap, 90° tilting head, spot-to-flood focus, and three levels of lighting for short, medium and long distances
- Rubber-shielded bezel and unbreakable polycarbonate lens
- 3 AAA alkaline batteries included



### 3C Xenon Flashlight

Item No. KMER33001

- High intensity Xenon bulb generates up to 12,000 peak beam candlepower
- Five hour continuous runtime on 3 C alkaline batteries (not included)
- Spring loaded clip, sealed switch, shock resistant polymer case, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



### 4AA Xenon Flashlight

Item No. KMER68002

- High intensity Xenon bulb generates up to 6,000 peak beam candlepower
- Four hour continuous runtime on 4 AA alkaline batteries (included)
- Shock resistant polymer case, sealed switch, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



### 4AA LED Flashlight

Item No. KMER68005


- Seven high-intensity, unbreakable LED's generate up to 27 lumens
- 155 hour continuous runtime on 4 AA alkaline batteries (included)
- Shock resistant polymer case, sealed switch, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



### Clipmate Flashlight

Item No. KMER61100

- This compact, durable, water-resistant flashlight gives you hands-free operation in three different configurations:
  - 1) as a clip-on light to a hat, straps or equipment
  - 2) clipped to the adjustable head strap
  - 3) carried on its convenient neck lanyard
- 360° rotation projects a white light from three super-bright LED's that is visible for over a mile away!
- 120 hours continuous runtime on 3 AAA alkaline batteries (included)
- An indispensable tool for all outdoor and industrial applications



### Stylus LED Penlight

Item No. KMER65018

- This ultra-slim, powerful penlight is cased in tempered aircraft aluminum with black anodized finish
- The high-intensity 12,000 millicandelas white LED has a 100,000-hour lifetime
- Ten hours continuous runtime with 3 AAAA alkaline batteries (included)
- Water-resistant
- Blink or constant on switch
- Removable tip guard for focusing the beam is included



### Stinger Rechargeable

Item No. KMER75014

- Rechargeable 3.6 volt, 1.8 amp nickel-cadmium battery can be recharged up to 1,000 times
- Runtime is one hour continuous use between charges
- Includes two 10-hour snap-in recharger holders with AC and DC charge cords
- Black anodized aluminum housing, unbreakable polycarbonate lens



### Ultra Stinger Rechargeable

Item No. KMER78014

- Produces 75,000 candlepower
- The NiCad 6 volt, 1.8 amp battery is rechargeable up to 1,000 times
- One hour of continuous runtime between charges
- Black anodized aluminum housing is corrosion proof inside and out
- Unbreakable, focusable polycarbonate lens
- Includes two 10-hour snap-in recharger holders with AC and DC charge cords



**NEW**



### CELL MAX™ Alkaline Batteries

- CELL MAX Alkaline batteries are built to readily start up high drain devices with dynamic instantaneous power
- These batteries are a great general use battery for your everyday power needs

Item No.	Description
KMCM-6LF22-BP1	9 Volt 1 Pack
KMCM-LR6-BP2	9 Volt 1 Pack
KMCM-LR6-BP4	AA 4 Pack
KMCM-LR6-PBH24	AA 24 Pack
KMCM-LR03-BP2	AAA 2 Pack
KMCM-LR03-BP4	AAA 4 Pack
KMCM-LR03PBH24	AAA 24 Pack
KMCM-LR14-BP2	C 2 Pack
KMCM-LR20-BP2	D 2 Pack



### Commando® Spill Containment Kit

Item No. KMKT1120EA

- Ideal for vehicles transporting liquid chemicals, chemical handlers and haulers, around mixing and storage areas
- Slim, mobile spill response kit fits easily in your vehicle and may be hung on the warehouse or shop wall to give you immediate response to chemical spills

- Pickup rating is 5 gallons of liquid per kit
- Packed in a highly visible yellow, chemical resistant carry bag
- Kit includes:
  - 2 CHEMSORB® Diking Tubes (3" x 48")
  - 4 CHEMSORB® Pillows (16" x 9" x 2")
  - 2 HazMat disposable bags
  - 1 pair 15 mil Nitrile gloves
  - 1 pair safety goggles
  - 1 pair Tychem SL Saranex boot covers
  - Instruction sheet



### SENTRY Spill Response Drum

Item No. KMSP1660EA

- 30 gallon pick-up capacity
- 55 gallon drum contains enough CHEMSORB® sorbent to absorb 30 gallons of liquid spill
- Kit includes:
 

15 CHEMSORB® Diking Tubes	2 pair 15 mil Nitrile gloves
10 CHEMSORB® Pillows	1 roll caution tape
4 HazMat disposable bags	4 HazMat labels
2 Tychem SL Saranex Coveralls	4 non-hazardous waste labels
2 pair splash goggles	1 parts reorder form
2 pair rubber HazMat boots	



### Minuteman® Spill Containment Kit

Item No. KMKT1000EA

- Fits easily in any vehicle sprayer, nurse tank or chemical transport truck, and can be wall hung around your plant and warehouse for visibility and easy access
- Keep your spill response items organized and ready for use
- Packed with the key products you need to clean up a hazardous spill
- Pickup rating is 5-6 gallons of liquid per kit
- Comes in a portable, highly visible orange nylon duffel pack
- Kit includes:
  - 2 CHEMSORB® Sorbent Pillows (26" x 16" x 2")
  - 3 CHEMSORB® 48" Diking Tubes
  - 1 pair 15 mil Nitrile gloves
  - 1 pair safety goggles
  - 1 pair Tychem SL Saranex boot covers
  - 2 HazMat disposable bags with labels



### Portable Insulated Decontamination Kit

Item No. KMKT1540EA

- Designed for personal cleanup in the field from chemical spills
- Lightweight, bright yellow nylon bag is easy to identify from a distance and is insulated to ensure that enclosed liquids meet the EPA's "usable temperature" mandate
- Complies with: EPA Reg. 40 CFR 170
- Kit includes:
  - 4 Extra large single-use towels
  - 3 One-gallon portable water bottles
  - 2 16-oz. bottle of sterile, buffered, isotonic eyewash
  - 1 4-oz. bottle liquid soap
  - 1 disposable coverall/ modesty garment
  - 1 weather-resistant, insulated carrying case (14.5" x 12.5" x 12.5")
  - 1 bilingual instruction sheet

### Oil Only Heavy-Duty Absorbent Rolls

Item No. KM83150


- Roll Size: 28.5" x 125'
- Perforated every 19" across and down the center of the length of the roll



### Oil Only Heavy-Duty Absorbent Pads

Item No. KM83100

- Pad Size: 15" x 19"
- Durable meltblown spunbond coverstock on top and bottom of pads (and rolls) with an absorbent core made with recycled shop towel fibers
- Made with 60% cotton



### Oil Only Heavy-Duty Absorbent Split Rolls

Item No. KM83160

- Roll Size: 14.25" x 125'
- Perforated every 19" across but not down the center of the length of the rolls



### General Purpose 4' Absorbent Socks

Item No. KM22868

- Sock Size: 3" x 4'
- Made with 70% recycled cellulose fiber
- Absorbs both water and oil based fluids such as diesel fuel, transmission fluid, hydraulic fluid, coolants, grease, paint and many other fluids



### General Purpose Medium-Duty Absorbent Rolls

Item No. KM23250


- Roll Size: 28.5" x 125'
- Perforated every 19" across and down the center of the length of the roll



### General Purpose Medium-Duty Absorbent Pads

Item No. KM23200

- Pad Size: 15" x 19"
- More absorbent and a more cost effective alternative than the leading competitor's meltblown absorbent pads/rolls



### General Purpose Medium-Duty Absorbent Split Rolls

Item No. KM23260

- Roll Size: 14.25" x 125'
- Perforated every 19" across but not down the center of the length of the rolls



### Walk-On Rag Rug

Item No. KM27036

- Roll Size: 36" x 150'
- Absorbent and a very durable walk-on mat
- Ideal to place in steady foot traffic areas where over-spray, leaks, drips and spills can occur



### Heavy-Duty Absorbent Barrel Top Pads

Item No. KM22866

- Pad Size: 22" diameter
- Made with 70% recycled cellulose fibers







### Suede Cowhide Gloves

- Soft and durable suede leather
- Tailored keystone thumb
- Shirred elastic back
- Self hem

Item No.	Size
KM36-M	Medium
KM36-L	Large
KM36-XL	X-Large



### Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- Adjustable wrist closure locks out dirt and debris
- Machine wash, air dry

Item No.	Size
KM70-L	Large
KM70-XL	X-Large



### Large Leather Palm Gloves

Item No. KM463-L

- Durable suede leather palm
- Cotton flannel and shirred elastic back
- Heavy duty rubberized safety cuff



### Palm Dipped Gloves

- Cut, puncture and abrasion-resistant palm
- Breathable knit back
- Ergonomic, form-fitting design
- Great grip on wet surfaces

Item No.	Size
KM300-L	Large
KM300-XL	X-Large



### Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH5.5 technology made to match healthy skins natural pH5.5 levels to ensure the most comfortable fit yet
- Unique formulation reduces excess perspiration
- Quadruple washed—no excess chemicals lingering on glove
- Super strength and stretch—no more tearing
- Fully textured grip
- Latex-free

Item No.	Description
KMBL-M	Black Lightning - Medium
KMBL-L	Black Lightning - Large
KMBL-XL	Black Lightning - X-Large
KMBL-XXL	Black Lightning - 2X-Large
KMOR-M	Orange Lightning - Medium
KMOR-L	Orange Lightning - Large
KMOR-XL	Orange Lightning - X-Large
KMOR-2XL	Orange Lightning - 2X-Large



### Tsunami Grip®

- Cuff is color coded by size, knit wrist
- Single dipped mach finish nitrile
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Dark colors hide dirt
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose light duty material handling use

Item No.	Size
KM500GM	Medium
KM500GL	Large
KM500GXL	X-Large
KM500G2XL	XX-Large



### Tsunami Grip® Air Injected Nitrile

- Purple 13 gauge nylon with a knit wrist
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Air injected Nitrile "breathes" for less hand fatigue and sweat
- Applications include electronic assembly, automotive, construction work, sheet rocking, and general all purpose material handling

Item No.	Size
KM500M	Medium
KM500L	Large
KM500XL	X-Large



### Tsunami Grip® New Foam Technology Nitrile

- 15 gauge nylon shell gives silky feel
- ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose use

Item No.	Size
KM500NFTM	Medium
KM500NFTL	Large
KM500NFTXL	X-Large
KM500NFT2XL	XX-Large



### Tsunami Grip® Black Mach Finish Nitrile

- Red 13 gauge nylon shell
- Unique double dipped mach finish nitrile coating provides the grip comparable to true foam/air injected nitrile and has more abrasion qualities
- It also will not saturate through the coating like foam/air injected nitrile
- ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work, general purpose use and jobs requiring light cut resistance

Item No.	Size
KM500MFM	Medium
KM500MFL	Large
KM500MFXL	X-Large
KM500MF2XL	XX-Large



### Tsunami Grip® New Foam Technology Nitrile with Nitrile Dots

- 15 gauge nylon shell gives silky feel
- ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose use

Item No.	Size
KM500NFTDM	Medium
KM500NFTDL	Large
KM500NFTDXL	X-Large
KM500NFTD2XL	XX-Large





## O-Rings

- Komatsu Genuine O-Rings ensure correct fit, form and function
- Easy-to-carry and easy-to-store system lets technicians spend more time servicing and less time scrambling for the right parts

- Komatsu kit inventories are easy to order, easy to manage and easy to sell
- Order individual replacement O-Rings through your normal Komatsu channel



### Face Seal/Embedded Hose Joint O-Ring Kit for 07002 Series

Item No. 1400693H91

- 260 O-Rings
- 13 sizes
- NBR-1B -22° F to +212° F (-30° C to +100° C)
- Common applications include face seal and embedded hose joint

O-Ring Item No.	Dimensions	Qty.
07002-11023	7.4mm x 2.3mm	20
02896-11008	7.65mm x 1.78mm	20
02896-11009	9.25mm x 1.78mm	20
07002-11423	10.9mm x 2.3mm	20
02896-11012	12.42mm x 1.78mm	20
07002-11823	14.9mm x 2.3mm	20
02896-11015	15.6mm x 1.78mm	20
07002-12034	16.7mm x 3.4mm	20
02896-11018	18.77mm x 1.78mm	20
07002-12434	20.7mm x 3.4mm	20
07002-13034	26.7mm x 3.4mm	20
07002-13334	29.7mm x 3.4mm	20
07002-13634	32.7mm x 3.4mm	20



### O-Ring Service Kit for 07000-1 Series

Item No. 1400688H91

- 288 O-Rings
- 19 sizes
- JIS HS 88 ± 5 NBR-1B -22° F to +212° F (-30° C to +100° C)
- Common applications include valves, piping, pumps, motors, hydraulic lines and cylinders

O-Ring Item No.	Dimensions	Qty.
07000-12010	9.8mm x 2.4mm	20
07000-12011	10.8mm x 2.4mm	20
07000-12012	11.8mm x 2.4mm	20
07000-12015	14.8mm x 2.4mm	20
07000-12018	17.8mm x 2.4mm	20
07000-12020	19.8mm x 2.4mm	18
07000-12021	20.8mm x 2.4mm	20
07000-13022	21.7mm x 3.5mm	10
07000-13025	24.7mm x 3.5mm	20
07000-13028	27.7mm x 3.5mm	10
07000-13030	29.7mm x 3.5mm	10
07000-13032	31.7mm x 3.5mm	20
07000-13035	34.7mm x 3.5mm	20
07000-13038	37.7mm x 3.5mm	10
07000-13040	39.7mm x 3.5mm	10
07000-13045	44.7mm x 3.5mm	10
07000-13048	47.7mm x 3.5mm	10
07000-12060	59.4mm x 3.1mm	10
07000-12075	74.4mm x 3.1mm	10

## Gent-L-Kleen Smooth Orange

- Orange-based lotion hand cleaner
- Natural orange oils
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Five skin care ingredients

Item No.	Weight
KMG23116	15 oz.
KMG23218	1 Gallon



## Gent-L-Kleen Pumice Orange

- Orange-based lotion hand cleaner
- Natural orange oils with fine-grain, American pumice
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Five skin care ingredients

Item No.	Weight
KMG25116	15 oz.
KMG25218	1 Gallon



## Pumice Grime Grabber

- Traditional skin cleansing gel
- Water-soluble and biodegradable
- VOC-compliant and NPE-free
- Six skin care ingredients

Item No.	Weight
KM31412	14 oz.
KM34560	4.5 lb.



## Scrubs Hand Cleaning Wipes

Item No. KM90172

- Sheet Size: 10" x 12.25"
- Quantity per canister: 72
- A powerful hand and surface degreasing cleaner that's gentle on your skin
- Multi-purpose wet wipe degreaser cuts through oil, tar, grease, paint, lubricants, ink, wax, adhesives and more



## 1 Gallon Gent-L-Kleen Heavy Duty Citrus with Pumice

Item No. KM121422

- Premium, citrus-based lotion hand cleaner
- Natural citrus oils and fine-grain, American pumice
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Nine skin care ingredients



## Wall Mount Bracket

Item No. KM10002

- Fits one gallon pump-top jugs
- Stainless steel
- Pre-drilled holes



## Wall Mount Dispenser

Item No. KM045116

- Fits 4.5 lb cartridge
- Rugged, non-corrosive plastic
- No gear or ratchets
- Black finish
- One-hand operation



## Gent-L-Kleen Hand Wipes 90 Count Scrubber

Item No. KM319060C

- Solvent-free, VOC and NPE-free
- Towels stay moist for hours
- Textured scrubber towel for ultra cleaning power
- Six skin care ingredients
- Multi-purpose wipes for hands, tools, surfaces and more!







### Komatsu® Bucket Blue Shop Towels

Item No. KM55208

- Sheet Size: 11" x 13"
- Quantity per bucket: 200
- Bucket Shop Towels are perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry until they are needed



### Refill Shop Towels

Item No. KM55207

- Sheet Size: 11" x 13"
- Quantity per roll: 200
- Use as a refill for the Shop Towel Bucket (Item No. KM55208) or as a stand alone center-pull shop towel dispenser



### 2-Ply White Center Pull Towel

Item No. KM183260

- Sheet Size: 7.875" x 10", Qty. Per Roll: 600
- Maximum diameter of 9"
- High capacity white center pull towels fit many center pull dispensers allowing for quick and easy dispensing in high traffic areas
- Made with 100% recycled fibers—80% post consumer and 20% pre consumer



### Wall Mount Center-Pull Towel Dispenser

Item No. KM99906

- Compatible with our 2-Ply White Center-Pull Towel (Item No. KM183260) as well as most 600 ct center-pull towel rolls
- Center-Pull Towel Dispenser has an adjustable throat allowing for a variety of different types of towels to be used



### Shop Towels

Item No. KM54416

- Sheet size: 11" x 9"
- Quantity per roll: 72
- 20 pack quantity
- Shop Towels are packaged in a very economical way for large volume users or for those who prefer to purchase in bulk



### Shop Towels 100 Count Box

Item No. KM5025001


- Sheet size: 9" x 16.75"
- Quantity per box: 100
- Packaged in a portable pop up dispenser box allows you to grab one sheet at a time



### Shop Towels 200 Count Box

Item No. KM55202

- Sheet size: 9" x 13"
- Quantity per box: 200
- Packaged in a cardboard center-pull dispenser box with convenient carrying handle



### 1/4 Fold Wipers

Item No. KM88160

- Sheet Size: 12" x 13"
- Quantity per box: 200 (50 in bundle)
- 1/4 folds are perfect for stacking on a workbench or countertop



### Red Wipers

Item No. KM88260

- Sheet Size: 9.5" x 16.5", Qty. Per Box: 100
- Packaged in a large capacity dispenser box that allows for either one or two sheets at a time
- Perfect for jobs that require a larger towel



### Red Jumbo Roll Wipers

Item No. KM88360

- Sheet Size: 12" x 13", Qty. Per Roll: 475
- Rolls are designed to fit our Floor Stand (Item No. KM99911)
- Large quantity of sheets allows for less time spent replacing rolls



### Floor Stand Jumbo Roll Dispenser

Item No. KM99911

- Stands are designed to fit our Jumbo Rolls (Item No. KM88360)
- Jumbo Roll Dispensers allow you to easily grab one sheet at a time
- Floor Stand Jumbo Roll Dispensers are metal making them extremely durable

### Portable Heaters

- These easy-to-assemble units are CSA-certified and multi-fuel use with no adjustments (kerosene, diesel and fuel oil)

- Units come with an auxiliary power outlet for user-friendly convenience



KM75TDGD

### Forced Air Heater

Item No.	Description
KM75TDGD	80,000 BTU/h, heats up to 1,750 square feet. 5-gallon fuel tank allows approx. 9 hours of use. Model does not come with tires.



KM170TDGD

### Forced Air Heaters Featuring Dual Heat Technology

Item No.	Description
KM125TDGD	135,000 BTU/h, heats up to 3,000 square feet. 10-gallon fuel tank allows for approx. 11-13 hours of use. 10" flat-free tires for easy maneuvering and dependability.
KM170TDGD	180,000 BTU/h, heats up to 4,000 square feet. 13-gallon fuel tank allows for approx. 10-13 hours of use. 10" flat-free tires for easy maneuvering and dependability.



KM400TDGD

### Forced Air Heaters Featuring Dual Heat Technology & \*Enhanced Control Panel

Item No.	Description
KM210TDGD	220,000 BTU/h, heats up to 5,000 square feet. 13-gallon fuel tank allows for approx. 8-10 hours of use. 10" flat-free tires for easy maneuvering and dependability.
KM400TDGD	400,000 BTU/h, heats up to 8,500 square feet. 29-gallon fuel tank allows for approx. 10 hours of use. 13" pneumatic wheels for easy maneuvering and dependability.

\* Enhanced control panel comes with large display area and allows precise temperature control with four diagnostic light indicators for optimum performance





## Safety Eye Wear

- TPR material increases its grip as it becomes moist to keep them on your face
- Tapered lenses eliminate refraction and block 99.9% of UVA/UVB/UVC rays
- Fog and scratch resistant lenses
- Exceeds ANSI Z87.1+2010 safety standards
- Frames consists of a flexible and durable TR90/Nylon compound material and wrap around with no side shield distortion



KMXF111  
\*Fits over glasses



KMTSKAP218



KMSW116



KMSW116CF

Item No.	Lens	Frame
*KMXF111	Clear	Black
*KMXF116	Smoke	Black
KMDZ111	Clear	Gloss Black Nylon
KMDZ116	Smoke	Gloss Black Nylon
KMSW111	Clear	Gloss Black Nylon
KMSW116	Smoke	Gloss Black Nylon
KMSW116CF	Smoke	Camouflage Nylon
KMTSM216	Polarized Smoke	Rubberized Matte Black Nylon
KMSK116	Smoke	Gloss Silver Gradient Nylon
KMTSKAP218	Polarized Aqua Precision Blue Mirror	Rubberized Matte Black Nylon

\* Fits over most glasses

## Fire Classification

- Class A Fires - Ordinary combustibles such as wood, cloth, paper, straw and stalks
- Class B Fires - Flammable liquids, gases and greases
- Class C Fires - Energized electrical fires

## ABC Fire Extinguishers

- Specially formulated ammonium phosphate-base dry chemical extinguishers may be effectively used to combat Class A and Class B fires as well as having a Class C listing
- Allows use in the presence of energized electrical equipment
- Designed and engineered to the highest-quality standards
- Meets DOT, Coast Guard and OSHA requirements
- Operating temperature: -65° F to 120° F
- Operating range: 2-1/2 lb. (9 to 15 ft.), 5 lb. (12 to 18 ft.), 10 and 20 lb. (15 to 21 ft.) - minimum distance of 8 ft. is most effective and prevents spreading of burning material
- Discharge time (minimums): 2-1/2 lb. size (10 seconds), 5 lb. size (14 seconds), 10 lb. size (20 seconds) and 20 lb. size (30 seconds)



549973C91



549974C91



549975C91



KMB504765



## Water Fire Extinguisher

Item No. KM700709200

- The cooling, soaking and penetrating 30-45 foot stream and 50-second discharge time make it a very effective and inexperienced-operator-friendly extinguisher for use on Class A fires
- 2-1/2 gallon capacity - U/L Rating 2A
- Stainless steel stored-pressure extinguisher
- Operating temperature: 40° F to 120° F
- Operating range: 45-55 ft.
- Operating time: 50 seconds



## Mounting Brackets

Item No.	Holding Capacity
549978C91	10 lb.
KM700709201	20 lb. & 2-1/2 gallons

Item No.	Description
549973C91	2-1/2 lb. capacity - U/L Rating 1A-10B:C, Includes Vehicle Bracket
549974C91	5 lb. capacity - U/L Rating 2A-10B:C, Includes Vehicle Bracket
549975C91	10 lb. capacity - U/L Rating 4A-10B:C
KMB504765	20 lb. capacity - U/L Rating 20A-120B:C



### Air Bottle Jacks

- Effortless air operation will greatly reduce operator fatigue and speed up the efficiency of garage work
- Versatile "Quick Connector" design provides for easy removal of air hose from air motor allowing compact storage or remote operation
- All air bottle jacks have chrome plated rams

A compact yet powerful Air Turbo Motor U.S. Patent No. 5,341,723 is equipped to raise the load to the desired height efficiently, effortlessly, and safely U.S. Patent No. 5,946,912, a built-in bypass device protects hydraulic system from over pumping damage

Item No.	Capacity	Lifting Range
KM18122C	12 Ton	9-1/2" to 18-1/2"
KM18204C	20 Ton	9-3/4" to 18-3/4"

### Manual Bottle Jacks

- Easiest accessible pumping system eliminates off-center pumping force for the most efficient operation
- Extra large base provides added stability and strength

- Serrated heat-treated saddle provides generous lifting area and secure grip
- Unique cross-type forged release valve assures positive control
- A wide, rugged base provides stability and strength
- Heat-treated extension screw allows low pick-up height adjustment and maximum lift height
- U.S. Patented built-in bypass device protects hydraulic system from over-pumping damage
- Critical stress points are reinforced in all models for added durability and dependability

Item No.	Capacity	Lifting Range
*KM10080	8 Ton	9-1/2" to 18-1/2"
KM10120	12 Ton	9-1/2" to 18-5/8"
KM10128	12 Ton	6" to 10-3/4"
KM10200	20 Ton	9-1/2" to 18-5/8"
KM10208	20 Ton	6-1/2" to 11-1/4"

\* Product color is red

### Ratchet Style Jack Stands

- Sturdy, welded steel construction for superior safety and strength
- One piece, multi-position ductile ratchet bar provides super strength and durability, and quick adjustment mechanism that securely locks into desired location
- Counter-weighted pawl serves as a safe, secure locking device to prevent the load from accidentally disengaging



KM32125

Item No.	Capacity	Support Range
KM32035	3 Ton	11-1/2" to 17"
KM32065	6 Ton	15-3/8" to 24-3/8"
KM32125	12 Ton	17-1/2" to 27-1/2"

### Pin Style Jack Stands

- Sturdy, welded steel construction for superior safety and strength
- Heavy gauge, steel frame helps prevent distortion or twisting



KM32105B

Item No.	Capacity	Support Range
KM32105B	10 Ton	18-5/8" to 30-1/2"
KM32107	10 Ton	28" to 47"
KM32225	22 Ton	13-1/3" to 19-2/3"



### Long Chassis Service Jacks

- Innovative design of Turbo Lift offers a quicker lift for professional performance
- U.S. Patented built-in bypass device protects hydraulic system from over pumping damage
- Metered release system allows for precise load control
- After the first pump reaches the lifting point, the jack continues with extraordinary lifting speed to raise the load to the desired height



KM25107

Item No.	Capacity	Lifting Range
KM25057	5 Ton	6-1/2" to 22-1/4"
KM25107	10 Ton	6-7/8" to 27"

### Truck Jack

- Quick rated capacity lift using air-actuated operation
- User friendly, self-returning spring minimizes operators effort, greatly reducing fatigue
- Inline air filter traps contaminants and protects air motor for longer life
- Chrome plated rams
- U.S. patented built-in bypass device protects hydraulic system from over pumping damage



Item No.	Capacity	Lifting Range
KM23221	22 Ton	9-3/4" to 23-5/8"

### Service Jack Combo

- Magic Lift technology
- Built in hydraulic bypass
- Steel frame construction for added strength
- Wide solid stance for extra stability
- Packed in one box for easy storage and delivery



Item No.	Capacity	Service Jack Lifting Range	Jack Stands Support Range
KM25032	3 Ton	6-1/2" to 22-1/4"	11-1/2" to 17"





## 3 Ton Engine Stand

- Clearance in 360 degree rotation
- 95 to 1 worm gear drive and long handle provides easy engine rotation
- Floor lock keeps stand from moving during repairs
- Universal adapter included
- Used with optional adapters

Item No.	Capacity	Lifting Range
KMHW93776	3 Ton	37-1/2" to 43-1/4"



## 3 Ton Engine Crane

- Installation and removal of engines, radiators, differentials, gas tanks, etc.
- Roller bearings in wheels for ease of movement
- Swivel hook for full rotation of load
- Side swivel of boom for ease of positioning load
- Pry bar to remove weight from leg to ease movement of leg extension
- 3 boom extension position

Item No.	Capacity	Lifting Range
KMHW93806	3 Ton	30-1/2" to 120-1/2"



## 3 Ton Load Leveler

Item No. KMHW93805

- Designed to handle and position components
- The horizontal tilt can be adjusted to compensate for off-center loads
- Used to angle a component when necessary to install
- Extension arms allow it to be compatible with a wide variety of engines



## 100 Ton Shop Press

Item No. KMHW93610

- 100 ton capacity
- Heavy steel welded construction
- Includes hand wench for easy bed adjustments
- Excellent for bending, bonding or straightening applications
- 1 HP / 2 gallon electric pump
- Quiet operation meets OSHA noise regulations
- Industrial hard chrome plated ram helps prevent rust and corrosion
- Ideal for the removal or installation of gears, universal joints, pulleys, wrist pins, and other press jobs



## 100 Ton Shop Press Guard

Item No. KMHW93625

- 84" tall x 43.13" wide guard made with 1.5 x 3" thick aluminum extrusion with a (7) position
- Vertical sliding window with 1/2" black PVC quoted mesh screen



## Two Position Z-Creeper

Item No. KM91000

- 2 in 1 creeper that is designed to be folded in a "Z" shape for use as a mechanics seat or unfolded for use as a mechanics creeper
- Transforms with no tools in seconds
- Professional grade rated for 450 lbs.
- Thick padded cushions for extended comfort
- 40" Steel frame construction
- Six 3" polyurethane, oil resistant, full bearing casters for easy movement
- Size 41-1/4" x 19-5/8" x 6-1/8"

## Tool Box Creeper

Item No. KM92450

- Heavy duty creeper seat with tool storage provides a convenient storage solution for common tools used for brake jobs, detailing, and body work
- Three full suspension locking tool drawers
- Professional grade rated for 450 lbs.
- Size 14" x 14" x 15"
- 4 full bearing 3" casters along with polyurethane wheels to give you easy, smooth and effortless maneuvering in your garage



## POD-X1: Power Supply & Jump Starter

Item No. KMBOX1KIT

- 200 normal-400 peak
- 20 jump starts in one charge (used on 4 cylinder vehicles)
- One charge from jump starter will last 6 to 12 months without use
- 5V USB port for charging cell phones, iPads, MP3 players, cameras, tablets, GPS units, PSP and more
- High power 3 function LED flashlight with strobe, flashlight & S.O.S flash patterns
- Includes: USB 1 to 4 charging cable, Apple lightning, Apple 30 Pin, Micro USB, Mini USB, 100-240 vac charger & 15V DC car charger



## LED POD (Power On Demand) X5 Auto/Truck Jump Starter & Power Supply

Item No. KMBOX5KIT

- 400 normal – 800 peak
- Jump Start Port for jump starting gasoline & diesel engines
- Up to 20 jump starts in one charge for gasoline engines, 5 for diesel engines
- 5V USB port for charging cell phones, MP3 players, tablets, cameras, GPS units, PSPs and more
- 12V, 16V & 19V for charging laptops and other electronics
- High power LED flashlight with 3 functions: flashlight, strobe & coast guard approved S.O.S
- One charge from jump starter will last 6 to 12 months without use
- Includes: 1 home charger, 1 car charger, 2 adapter cables, 1 jumper cable w/clamps & 8 notebook connections





### Knife Blade Battery Switch: Side Terminal

Item No. KM20128

- For side terminal batteries
- Mounts on negative side battery terminal
- 3-1/4" W x 3-3/4" L x 1-1/2" H
- Provides 3/8-18 bolt for receiving standard eyelet cable connector



### Knife Blade Battery Switch: Top Post

Item No. KM20138

- For top post batteries, low vertical operation
- Switches recommended to mount on negative battery post to disconnect ground and battery
- Easy to reach and operate
- 3" W x 4" L x 2" H
- 5/8" diameter post for receiving standard battery cable clamp



### Knife Blade: Top Post with Stud

Item No. KM20148

- For top post batteries, low vertical operation
- Switches recommended to mount on negative battery post to disconnect ground and battery
- Easy to reach and operate
- 3" W x 4" L x 2-1/4" H
- 5/8" diameter post, plus 5/16-18 stud and wing nut for extra connections



### Knife Blade Battery Switch: In-Line Eye To Eye

Item No. KM20188

- Surface mounted "in-line"/remote mount switches
- For concealed installations or where battery box space is limited. One side connects to the battery cable; other side connects to the vehicle cable
- 3" W x 4" L x 2" H
- Both terminals are 5/16" bolts for receiving eyelet cable connectors



### Die Cast Push-On Starter Switch

Item No. KM20302

- Water-resistant cover
- 16 amps at 12 volts
- Heavy-duty die cast push-on starter switch, momentary on
- 5/8" diameter mounting hole required for panel mount



### Momentary Push-On Button Switch

Item No. KM20303

- Heavy-duty momentary push-on switch
- Water-resistant cover
- 30 amps at 12 volts
- For controlling apparatus that requires temporary power and manned operation



### Battery Isolator: Lever Operated Switch

Item No. KM20304

- Master battery isolator disconnect switch
- 100 amps continuous at 12 volts



### Battery Doc® 12 Volt 10 Amp Solar Controller

Item No. KM23122

- Maintains and regulates 12 volt batteries from overcharging and discharging
- Includes digital volt meter display
- Handles up to 10 amps (120 watts) of array current
- Maintenance free protection of your solar panel and batteries
- Maintains 12 volt batteries in a fully charged state
- Small, compact and easy to mount
- For use with gel-cell, AGM, deep cycle and all lead-acid 12 volt batteries
- Easily mounted in weather protected area



### Battery Doc® Solar Charger Heavy Duty 30W Panel

Item No. KM23130

- Monocrystalline panels are a highly efficient solution for converting sunlight to electricity
- Ideal for situations with limited space
- Corrosion resistant anodized frame
- Dimensions: 21" L x 16" W x 1" D



### Battery Doc® Solar Trickle Charger/Maintainer 5W Panel Kit

Item No. KM23143

- Anodized aluminum weather resistant frame
- Dimensions: 12-1/2" W x 12-1/2" L x 1" D
- Amp Rating: up to 420 mA
- Accessories included:
  - 12V male output adapter (cigarette lighter adapter)
  - Alligator clips
  - Voltage tester
  - Mounting hardware (screws)



### Battery Doc® Solar Charger 9W Panel Kit

Item No. KM23144

- Anodized aluminum weather resistant frame
- Dimensions: 8.3" W x 24.4" L x 1" D
- Amp Rating: up to 750 mA
- Accessories included:
  - 12V male output adapter (cigarette lighter adapter)
  - Alligator clips
  - Voltage tester
  - Mounting hardware (screws)
  - 10' solar panel lead wire

### Battery Doc® 4-in-1 Adaptor



Item No. KM23129

- Safely connects up to four like solar panels in parallel
- 11' 6" long
- Includes four bullet EZ connectors
- Quick and easy to use—no cutting or splicing!



### Compact Battery Switch: Top Mount

Item No. KM20308

- Easy-to-install on negative battery post
- Battery is disconnected by unscrewing the knob a few turns and reconnected by tightening the knob
- Knob can be removed completely to deter theft
- Compact size fits most battery compartments
- Includes battery terminal markers
- Rated 500 amps surge and 125 amps continuous at 12 volts



### Water-Resistant Master Switch Kit: Includes 2 Keys & Waterproof Cover

Item No. KM20314

- Excellent for marine or automotive use
- Rated 100 amps continuous, 1000 amps surge, at 12 volts
- Rated below 50 amps continuous, 500 amps surge, at 24 volts
- 2-1/4" diameter x 2-1/2" deep (1-1/4" deep behind panel)
- Two 3/16" diameter mounting holes



### Mini Master Battery Disconnect Switches

KM20387

- For application up to 48 volts DC and can be in either a two or four position
- ISO 8846 approved
- Continuous rating: 300 amps
- Intermittent rating: 1000 amps/5 seconds
- Crank rating: 700 amps/10 seconds

- Can be used with one or two batteries
- Dimensions: 2.5" x 2.5" x 3" high
- Surface or panel mount
- Includes four mounting holes for easy access

Item No.	Style
KM20387	Single Battery - On/Off Knob & Bottom Cover
KM20393	Dual Battery - Off/1/Both/2 Knob & Bottom Cover



## Ratchet Tie Downs

- Super comfortable, thermo-plastic rubber handles are molded onto frames on select models
- Weather and corrosion resistant hardware finished with zinc and nickel plating, or powder coating
- PVC-coated hooks on standard duty ratchet series that will not scratch
- Cut and abrasion resistant webbing is woven from high tensile strength polyester—performs better than nylon
- Engineered stitching for system strength and durability

KM310800

KM310001

KM310081



## Heavy-Duty Ratchet Tie Downs

Item No.	Description	Break Strength	Work Load
KM310800	40' x 2", JJ Hook, Bar Handle	10,000 lbs.	3,300 lbs.
KM310001	27' x 2", JJ Hook, Bar Handle, *Step Release	10,000 lbs.	3,300 lbs.
KM310081	27' x 2", Flat Hook, Bar Handle, *Step Release	10,000 lbs.	3,300 lbs.

\* Step Release ratchets allow you to release tension slowly and safely, one click at a time.

KM325600

KM318420

KM312600

KM350701



## Standard-Duty Ratchet Tie Downs

Item No.	Description	Break Strength	Work Load
KM312600	16' x 1", S Hook, Small Bar Handle	1,500 lbs.	500 lbs.
KM318420	6' x 1", S Hook, Small Bar Handle (Twin Pack)	1,800 lbs.	600bs.
KM325600	16' x 1-1/4", JJ Hook, Sure Grip Handle	2,500 lbs.	830 lbs.
KM350701	16' x 1-1/2", JJ Hook, Sure Grip Handle	5,000 lbs.	1,665 lbs



KM05344

## Replacement Straps

- Zinc hooks
- Cut and abrasion resistant webbing is woven from high tensile strength polyester
- Engineered stitching for system strength and durability

Item No.	Description	Break Strength	Work Load
KM05344	30' x 2" Replacement Strap, Flat Hook	10,000 lbs.	3,333 lbs.
KM05354	30' x 2" Replacement Strap, JJ Hooks	10,000 lbs.	3,333 lbs.
KM320881	25' x 4" Replacement Strap, JJ Hooks	20,000 lbs.	6,660 lbs.



## Truck Tie Downs

- Zinc plated flat hook or delta ring
- Yellow polyester webbing

Item No.	Description	Break Strength	Work Load
KM03603	30' x 4" Truck Tie Down, Flat Hook, Poly Bag	15,000 lbs.	5,000 lbs.
KM04603	30' x 4" Truck Tie Down, Delta Ring, Poly Bag	18,000 lbs.	6,000 lbs.

## Standard Winch Bar

Item No. KM05304

- Black finish
- Knurled grip
- Break strength: 5,000 lbs.



## Standard Weld-On 4" Winch

Item No. KM05314

- Black powder coated finish
- 0.9" drive hole
- Break strength: 15,000 lbs.



## Portable Bolt-On 4" Winch

Item No. KM05324

- Black powder coated finish
- 0.9" drive hole
- Bolts included
- Break strength: 12,000 lbs.




## 2" Mini Winch

Item No. KM05334

- Bolt-on or weld
- Powder coated frame
- Zinc plated hardware
- 1/2" drive hole

- Cut case
- Break strength: 10,000 lbs.



KM151520

## Recovery Straps

- Constructed of strong, lightweight, polyester flat webbing
- Reinforced loops that extend the service life
- Engineered, stitch tested to the rated capacities with an added safety margin

Item No.	Description	Break Strength
KM151520	20' x 2" Recovery Strap with loops	15,000 lbs.
KM152020	20' x 2" Recovery Strap with loops	20,000 lbs.
KM152030	30' x 2" Recovery Strap with loops	20,000 lbs.
KM06502	20' x 3" Heavy Duty Recovery Strap with loops	27,000 lbs.
KM06602	30' x 3" Heavy Duty Recovery Strap with loops	27,000 lbs.
KM153630	30' x 4" Heavy Duty Recovery Strap with loops, Poly Bag	36,000 lbs.
KM156030	30' x 6" Heavy Duty Recovery Strap with loops, Bulk	54,000 lbs.



KM112400

## Tow Ropes

- Braided with high quality nylon and have steel forged hooks
- They offer very low elongation nylon
- Constructed with double braided nylon and are oil and abrasion resistant
- Come with either steel forged hooks or braided loops

Item No.	Description	Break Strength
KM112400	17' x 3/4" Diameter, Braid-On-Braid Rope with hooks	15,000 lbs.
KM112401	17' x 3/4" Diameter, Braid-On-Braid Rope with loops	15,000 lbs.

## Heavy-Duty Tarp Straps

- Available in sizes from 9" to 41"
- 24" and 36" tarp straps feature patented molded holes for adjustable length
- Weather-resistant natural rubber
- Strong and durable zinc coated S-hooks
- Versatile strap with high elasticity holding power



Heavy-Duty Adjustable

Heavy-Duty Standard

Item No.	Length
KM710900	9"
KM711500	15"
KM712100	21"
KM712400	24" Adjustable
KM713100	31"
KM713600	36" Adjustable
KM714100	41"



## Tarp Strap S-Hooks

Item No. KM710040

- Four pack replacement hooks
- 5mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish





## 4/5 Pin Towing Maintenance Kit

Item No. KM8026

- Quickly tests, cleans and repairs truck and trailer 4/5 pin connectors
- Works on both male and female connectors
- Extends harness life
- Great preventative maintenance tool

- Promotes safety and limits road hazards
- Includes 4/5 Pin Trailer Harness Checker, 4/5 Pin Cleaner, 2 mL DeoxIT® Cleaner



## 6 Round Pin Towing Maintenance Kit

Item No. KM8027

- Quickly tests, cleans and repairs truck and trailer 6-way round pin connectors
- Works on both male and female connectors
- Extends harness life
- Great preventative maintenance tool
- Promotes safety and limits road hazards
- Includes 6 Pin Round Pin Tester, 6-way Round Connector Cleaners, 2 mL DeoxIT® Cleaner



## 7 Flat (Spade) Pin Towing Maintenance Kit

Item No. KM8028

- Quickly tests, cleans and repairs truck and trailer 7-way flat pin connectors
- Works on both male and female connectors
- Extends harness life
- Great preventative maintenance tool
- Promotes safety and limits road hazards
- Includes 7 Spade Pin Circuit Tester, Connector Cleaners, 2 mL DeoxIT® Cleaner



## 7 Round Pin Towing Maintenance Kit

Item No. KM8029

- Tests tractor electrical circuits
- Enhances electrical contact points
- Removes corrosion from truck and trailer connectors
- Extends harness life

- Use as a pin wear gauge
- Includes 7 Round Pin Tractor Trailer Circuit Tester, 7 Round Pin Cleaner, 2 mL DeoxIT® Cleaner



## 3-Way Trailer Adapter

Item No. KM8000

- Allows 7-way flat (spade) pin type terminal connections to 6-way round pin and 4/5 pin trailer connections
- Made from strong Nylon 6
- Sealed plugs to keep road debris from corroding connections
- 'Winged' grip for easy installation and removal



## 36 Piece Bore Brush Set

Item No. KM8001D

- 36 Brushes: 12 steel, 12 brass, and 12 nylon
- 8mm – 19mm diameter with 1/4" hex shank
- 1/4" locking bit head driver included
- Twisted wires for increased cleaning function
- For use in automotive, AG / industrial and MRO industries



## 6 Piece Twisted Wire Brush Assortment

- Features the most common sizes: 8, 10, 12, 15, 17 and 19mm
- 1/4" hex shank



Item No.	Brush Wire
KM8080	Stainless Steel
KM8081	Brass



## Diamond Grip Terminal Cleaners

Item No. KM8040

- For flat and spade style terminals
- Works on both male and female connectors
- Removes corrosion and extends harness life
- Reduces diagnostic guesswork by eliminating bad connections
- Three piece set: small, medium and large
- Includes leather-type holster

## Super Hard Diamond-Coated Round Micro Files

Item No. KM8042

- Cleans Cannon, Deutsch, Bullet and other round terminals along with general filing applications
- Also for use in general filing applications such as steel, aluminum, plastic, brass, etc.
- Individual sizes are marked and available for replacements
- Includes leather-type holster



## Terminal Connector Cleaners Master Kit

Item No. KM8025

- Cleans/resizes 4/5 flat connectors, 6-way round and 7-way flat (spade) pin terminals
- For male and female connections
- For tail and side marker light assemblies
- Maintains continuity and prevents circuit failure



## 7 Round Pin Connector Cleaners

Item No. KM8024

- Clean and resize male and female tractor trailer connectors
- Remove corrosion from connectors
- Enhance electrical contact points
- Extend harness life
- Use as a pin wear gauge
- Includes 7 Round Pin Cleaners (2)



## Diamond-Coated Electrical Contact Cleaners

Item No. KM8047

- Three-piece set covers wide range of contact sizes
- Super hard, diamond coating is highly abrasive and durable
- Enhances connections and extends contact life
- Non-slip, high-viz, ergonomic handles for comfortable use
- Ultra-thin, flexible files for added functionality
- Includes 6mm, 9mm and 15mm

15mm 9mm 6mm

8" - 20mm Head

8" - 15mm Head

8" - 12mm Head

8" - 10.5mm Head

8" - 6.5mm Head

3" - 5mm Head

## Swab-EEZ®

Item No. KM9010

- 325 piece set of industrial grade swabs
- For the removal of dirt and the precise application of shop chemicals
- Lubricate, clean and paint: bores, fittings, head bolt holes, tubing, threads, gaskets, grease, guns, pipes, dirt and debris and much more



## Air Comb® Engine & Radiator Cleaner

Item No.	Length
KM8050	12"
KM8051	24"
KM8052	36"
KM8053	48"

- Thoroughly cleans engines, condensers and radiators from the inside out
- Focused high pressure output
- Accesses hard-to-reach areas
- Unique design—won't punch holes like conventional blow guns



Indestructible Handle Hammers

- Ergonomic rubber grip handle absorbs shock and vibration reducing fatigue
- Indestructible handle is made with spring steel bars that run all the way through the handle. Bars are locked with the hammer head using steel locking plates, ensuring that the head never gets dislodged
- Hammer head is forged from special steel and is induction hardened to 52 to 56 HRC for extended life
- Special bonding process ensures that head never gets loose from the handle
- Working temperature range: 14° F to 122° F (-10° C to 50° C)

Indestructible Handle Technology



Club Hammers

Item No.	Head Weight	Handle Length
KM34500	2.5 lbs.	12"
KM34501	4 lbs.	12"
KM34502	4 lbs.	16"

Ball Pein Hammers

Item No.	Head Weight	Handle Length
KM34540	24 oz.	14"
KM34541	32 oz.	14"
KM34542	48 oz.	14"

Cross Pein Hammers

Item No.	Head Weight	Handle Length
KM34530	2 lbs.	16"
KM34531	3.5 lbs.	16"

Sledge Hammers

Item No.	Head Weight	Handle Length
KM34510	6 lbs.	24"
KM34511	6 lbs.	30"
KM34512	8 lbs.	24"
KM34513	8 lbs.	30"
KM34517	8 lbs.	36"
KM34514	10 lbs.	30"
KM34518	10 lbs.	36"
KM34515	12 lbs.	30"
KM34519	12 lbs.	36"
KM34516	14 lbs.	30"
KM34520	14 lbs.	36"

Copper Head Club & Sledge Hammers


Item No.	Head Weight	Handle Length
*KM34600	4 lbs.	12"
KM34610	8 lbs.	24"
KM34611	14 lbs.	30"

\* Copper Head Club Hammer



Aligning Bars


- Heavy-duty bars are forged from chrome alloy steel and heat treated to resist bending and breaking
- The prying end is on one side and aligning end on the other
- These come in plated finish which makes it easier to locate in a crowded workshop
- The longer lengths come in a powder coated finish
- The longer lengths come in a powder coated finish
- Ideal for leverage, positioning, prying and demolition



Item No.	Length	Stock Size	Finish
KM33169	16"	5/8"	Plated
KM33170	18"	5/8"	Plated
KM33171	24"	3/4"	Plated
KM33172	30"	7/8"	Plated
KM33173	36"	7/8"	Plated
KM33176	48"	1"	Powder Coated
KM33177	54"	1"	Powder Coated

Roll Head Pry Bars

- Forged from Chrome Vanadium Steel and fully hardened and tempered
- Roll head acts as a fulcrum and provides leverage
- Designed for heavy prying and fulcrum prying—very useful in automotive applications
- The tapered end is used for aligning
- Ideal for leverage, positioning and prying



Item No.	Length	Stock Size
KM33151	12"	7/16"
KM33152	16"	9/16"
KM33153	20"	11/16"
KM33155	Set of 3 Pry Bars, containing one each of 12", 16" and 20"	





## 72" Shop Cabinet

Item No. KM72BLU

- Professional grade
- Welded steel construction stands up to constant use
- 4 adjustable shelves hold up to 180 lbs. each
- 3-point locking system locks the doors on top, side and bottom
- Durable baked enamel finish resists dents and scratches
- Meets or exceeds ANSI/BIFMA standards
- Comes assembled except handles, locking system and shelves
- Custom imprinting available for this product



## 24" Plastic Hand Box with 3 Steel Drawers

Item No. KM24HB

- 24"W x 10-1/2"D x 13-1/2"H
- Portable workstation at your fingertips
- Steel drawers with 25 lb. capacity
- Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces



## 20" Plastic Hand Box with Tray

Item No. KM20HBP

- 20"W x 10.3"D x 9"H
- Ideal for carrying in the field and out to the job
- Includes removable plastic tray
- Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces



## 20" Steel Hand Box with Tray

Item No. KM20HBS

- 20"W x 8"D x 9"H
- Portable tool storage with a traditional look
- Includes removable metal tote tray
- Durable metal construction with powder coated finish and ergonomic handle



## 36" Service Box

Item No. KM36SBOX

- 16/18-gauge steel construction, over 5-1/2" deeper than our previous model
- Specially engineered frame with handles make it easy to slide and move service box
- 5 big reinforced drawers with quiet ride foam liners—2 deep and 3 standard size drawers
- Full-extension friction slides for smooth glide operation
- Deep drawers feature dual slides and load rated up to 300 lbs, standard feature single slides and load rated up to 150 lbs.
- Theft-resistant tubular, coded lock and keys
- Caster-ready (casters sold separately)
- Specially designed with room underneath to allow forklift to easily move fully loaded box



## 48" On-Site Storage Box

Item No. KM48SBOX

- 48-1/8"W x 24-1/8"D x 28-3/8"H
- Storage capacity: 27,760 cu. in.
- Heavy duty steel construction with 12 gauge steel legs provide 4 way entry skid
- Reinforced overlapping lid provides protection from weather
- Recessed locking area protects contents
- Heavy duty industrial lid stays open to prevent accidental closure
- Tough industrial powder coated finish
- Custom imprinting available for this product





**26" Tool Chest & Cabinet**  
Item No. KM26COMBOBLK  
**26" 7 Drawer Professional Tool Chest**  
Item No. KM26TOPBLK  
**26-1/2" 5 Drawer Professional Roller Cabinet**  
Item No. KM26CABLK

- Drawers feature ball bearing glides with a load capacity of 50 lbs. per drawer and 100 lbs. per drawer with double glides (double glides only on roller cabinet deep drawers)
- High density foam drawer liners included
- Heavy duty steel construction with four 4" x 2" casters (two lockable swivels and two rigid)
- High gloss powder coated finish
- Theft-proof tubular coded locking system keeps your tools safe

Item No.	Width	Depth	Height
KM26TOPBLK	26"	16"	18"
KM26CABLK	27"	18"	36"



**41" Tool Chest & Cabinet**  
Black: Item No. KM41COMBOBLK  
Blue: Item No. KM41COMBOBLU  
**41" 8 Drawer Professional Tool Chest**  
Black: Item No. KM41TOPBLK  
Blue: Item No. KM41TOPBLU  
**41-1/2" 11 Drawer Professional Roller Cabinet**  
Black: Item No. KM41CABLK  
Blue: Item No. KM41CABLU

- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides
- Full-width aluminum polished chrome drawer pulls
- Heavy duty 16 gauge steel frame and 18 gauge steel sides with four 5" x 2" casters (two lockable swivels and two rigid)
- High density foam drawer liners included
- High gloss powder coated finish
- Theft-proof tubular coded locking system keeps your tools safe

Item Desc.	Width	Depth	Height
Tool Chest	41"	17-3/4"	21-3/8"
Roller Cabinet	41-1/2"	18-1/8"	40-1/2"



**56" Tool Chest & Cabinet**  
Black: Item No. KM56COMBOBLK  
Blue: Item No. KM56COMBOBLU  
**56" 10 Drawer Professional Tool Chest**  
Black: Item No. KM56TOPBLK  
Blue: Item No. KM56TOPBLU  
**56" 11 Drawer Professional Roller Cabinet**  
Black: Item No. KM56CABLK  
Blue: Item No. KM56CABLU

- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides (double glides only on roller cabinet deep drawers)
- Full-width aluminum polished chrome drawer pulls
- Heavy duty steel construction with six 5" x 2" casters (four lockable swivels and two rigid)
- High density foam drawer liners included
- High gloss powder coated finish
- Theft-proof tubular coded locking system keeps your tools safe

Item Desc.	Width	Depth	Height
Tool Chest	55-1/4"	19-3/4"	20-1/2"
Roller Cabinet	56"	20"	41-1/2"



**72" 17 Drawer Professional Roller Cabinet**  
Black: Item No. KM72CABLK  
Blue: Item No. KM72CABLU  
• 72"W x 30"D x 44-3/4"H  
• Drawers feature ball bearing glides with a load capacity of 300 lbs. per drawer and 600 lbs. per drawer with double glides  
• High density foam drawer liners included  
• Heavy duty 11 gauge steel construction with six 6" x 2" casters (four locking and two swivel)  
• High gloss powder coated finish  
• Theft-proof tubular coded locking system keeps your tools safe



**76" 12 Drawer Professional Roller Cabinet**  
Black: Item No. KMEX7612RCBLK  
Blue: Item No. KMEX7612RCBLU  
• 76"W x 31"D x 47"H  
• Drawers feature ball bearing glides with a load capacity of 300 lbs. per drawer and 600 lbs. per drawer with double glides  
• High density foam drawer liners included  
• Heavy duty 11 gauge steel construction with six 6" x 2" casters (four lockable swivels and two rigid)  
• High gloss powder coated finish  
• Theft-proof tubular coded locking system keeps your tools safe  
• Mounted four outlet A/C powerstrip  
• 12 deep drawers including two extra wide drawers and one vertical power tool drawer





## Sta-Bil® Ethanol Fuel Treatment & Stabilizer



KM22264

- Cleans fuel system to improve performance
  - Use at every fill up
  - Prevents ethanol fuel related damage
  - For all gasoline and ethanol blended fuels including E-10 through E-85

Item No.	Capacity
KM22265	4 oz.
KM22264	10 oz.



KM22008

## Sta-Bil® Fuel Stabilizer

- For quick, easy starts after storage
- Eliminates need to drain fuel
- Keeps fuel fresh for up to 12 months
- Effective in all ethanol blended fuels

Item No.	Capacity
KM22008	8 oz.
KM22214	32 oz.



KM22255

## Sta-Bil® Diesel Fuel Stabilizer

- Lubricates and cleans fuel system
- Prevents sludge and sediment formation
- Helps remove water and prevents corrosion
- Effective in all bio-diesel and ULSD fuels

Item No.	Capacity
KM22254	32 oz.
KM22255	1 gallon

Products yet to be certified for Komatsu Engines. Applicable to most machines and engines in the aftermarket.

## H.U.M. Out™—Fuel Rejuvenator



- Item No. KMHO316
- Kills bacteria and algae
  - Breaks up sludge and slime mats
  - Reduces fuel oil deposits and plugging
  - Prevents tank corrosion
  - For use in marine, fleet farm vehicles and petroleum industries
  - Approved by the EPA, Reg. #3191C-2-68673
  - Available in larger sizes



## Winterthaw™—Emergency Fuel Treatment

- Item No. KMWT516
- De-gels frozen fuel and fuel systems
  - Helps disperse excess water in fuel systems
  - Will not harm fuel pumps, injectors or other precombustion components
  - Available in larger sizes



## Diesel Power™—Year Round Treatment

- Item No. KMDP116
- Dissolves free and emulsified water in fuel
  - Contains cetane improvers
  - Contains lubricity additives
  - Cleans the entire injector system to improve fuel economy
  - Removes gum and varnish
  - Lubricates cylinder walls
  - Prevents formation of harmful acids
  - Controls waxing and gelling
  - Contains no alcohols
  - Product available in larger sizes




## Polar D™—Winter Treatment

- Item No. KMPD216
- Contains lubricity additives
  - Increases overall performance of your system and enhances operation in cold weather conditions
  - Totally disperses water to clean and lubricate your entire fuel injector system while preventing harmful gelling and eliminating the growth of algae
  - Product available in larger sizes



## Tire Sealants

- Simply the finest tire sealant in the world. Our high-quality sealant not only seals tread area punctures but also rim and bead leaks, weather cracking and porosity leaks
- Seals hundreds of punctures up to 1/4" diameter
- Totally homogeneous—no mixing, shaking or stirring is necessary; it has an indefinite shelf life and can be rinsed out of a tire with water if there is a need for section or boot patching
- Remains fluid and effective in temperatures down to -45° F
- Lasts the life of the tire tread
- Easy installation is through the valve stem with the valve core removed and the tire deflated
- Installation kits are included
- Tire balance is not affected by sealant application
- Made in the USA



- Seals punctures up to 1/4" in standard tires and up to 3/4" in heavy ply tires
- Coats all inner surfaces of tire and rim to prevent all forms of air loss, including rim, bead and porosity leaks
- Installs easily through the valve stem once the valve core is removed



KM1220032 KM12200640 KM12207040 KM12200182

Item No.	Description
KM1220032	32 oz. Bottle
KM12200182	1 Gallon with Pump
KM12200640	5 Gallon
KM1220516	5 Gallon Pump
KM12207040	55 Gallon Drum





Powerful Corrosion Protection

- Superior lubrication for all moving parts
- Extend maintenance schedules, resulting in significant cost savings and integrity of equipment
- Soft, active coating penetrates to the base metal, where it migrates to create a formidable, protective barrier that prohibits corrosion on a molecular level
- Contains no solvents—will not evaporate
- Provides lasting lubrication and powerful protection for equipment in use, in storage and in transit
- Also protects equipment from atmospheric corrosion in storage facilities and metals exposed to animal waste
- Protects all metals, wiring systems and truck/machinery underbodies from the effects of harsh chemicals and toxic, dirty environments
- Not water soluble—resisting splash off from water, slush and mud during driving



8 oz. Brush Top Can

- Item No. KMNAS8OZ
- Eliminates messy overspray
  - Allows for desired consistency
  - Great for detail applications
  - Built-in brush applicator



Aerosol Can

- Lubricates moving parts
- Prevents corrosion on all metals
- Long lasting protection
- Easy to apply

Item No.	Capacity
KMAS12	2-1/4 oz.
KMAS11	11 oz.



One Gallon Pail

- Item No. KMNAS1GAL
- Long term protection
  - Apply by pressurized spray, roller or brush
  - Easy to handle



Five Gallon Pail

- Item No. KMNAS5GAL
- #1 choice for equipment being shipped or stored
  - Apply by pressurized spray, roller or brush
  - For larger applications



11 oz. Smart Straw

- Item No. KM110078M
- Never lose the straw again!
  - Penetrate and loosen stuck, frozen parts
  - Displace moisture on wiring and parts
  - Remove grease and grime from parts and tools
  - Shine bumpers and chrome
  - Lubricate moving parts, hinges, valves, etc.



18 oz. Big Blast Can

- Item No. KM10124M
- New wide area spray nozzle
  - Delivers product quickly and efficiently over large areas
  - Cover everything—faster!
  - Stops squeaks
  - Removes and protects
  - Loosens rusted parts
  - Frees sticky mechanisms



11 oz. 3-in-One Garage Door Lube

- Item No. KM100581M
- Quick drying
  - Won't attract dust or dirt
  - Prevents rust and corrosion
  - 2-way spray technology
  - Stops squeaking and sticking
  - Great for commercial and residential garage doors



8 oz. 3-in-One Multi-Purpose Oil

- Item No. KM10138M
- Precise lubrication
  - Lubricates, cleans and prevents rust



Lava Heavy Duty Hand Cleaner

- Item No. KM10185M
- Contains added moisturizers to help keeps hands smooth and soft—even with repeated usage
  - Contains Pumice for powerful hand cleaning action



18 oz. Machine & Engine Degreaser Foaming Spray

- Item No. KM300070M
- Makes equipment run smoother, last longer and look like new
  - Quickly removes grease, oil, dirt and grime
  - Deep penetrating foaming action
  - Sprays up to five feet
  - NSF Category C1 (#146737)
  - 50-state VOC compliant



11 oz. Water Resistant Silicone

- Item No. KM300011M
- Smart Straw for precise application
  - Superior wear protection to all major silicone competitors tested
  - Safe on metal, rubber, vinyl and plastic
  - Waterproofs and protects
  - Quick drying with no messy residue
  - Perfect for pulleys, linkage and locks
  - 50-state VOC compliant



10 oz. White Lithium Grease

- Item No. KM300028M
- Smart Straw for precise application
  - Superior performance against CRC, LPS White Lithium with PTFE and Blaster White Lithium Grease
  - Won't freeze, melt or run off
  - Temperature range 0° to 300° F
  - 50-state VOC compliant



11 oz. Rust Release Penetrant

- Item No. KM300004M
- Smart Straw for precise application
  - Superior performance (50% faster) vs. PB Blaster
  - Frees corroded nuts and penetrates rust
  - Features Blu Torch™ Technology
  - 50-state VOC compliant





### Any Project. Any Surface. Any Time.

Whether you're doing a small repair or tackling a large project, we have all the products you need to get the job done right. No matter which product you choose, you always get the legendary performance of the world's strongest bond!



### J-B Weld

Item No. KM8265-S

- Will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours
- Waterproof, petroleum, chemical and acid resistant when fully cured
- Alternative to welding, soldering and brazing



### J-B Stik

Item No. KM8267-S

- Cures completely submerged in gasoline or under water in 60 minutes
- Steel reinforced epoxy putty stick
- Hand kneadable epoxy adhesive will plug holes and make permanent repairs on wet and dry surfaces



### J-B Waterweld

Item No. KM8277

- Once cured it can be drilled, sanded, filed, tapped, machined and painted
- Fully cure in 60 minutes and will adhere to most any surface
- Make permanent repairs in moist or under water applications



### J-B Kwik

Item No. KM8276

- Fast set - cure version of J-B Weld that will set in four minutes and fully cure in 4-6 hours
- When fully cured it can be drilled, tapped, machined, filed, sanded and painted
- Waterproof, petroleum, chemical and acid resistant once fully cured



### J-B KwikPlastic

Item No. KM8237

- Sets in 20 minutes
- Bonds instantly with superior strength and does not shrink or pull away
- Repair and rebuild any rigid and semi-flexible plastic including ABS, PVC and CPVC



### Brake & Parts Cleaner

Item No. KM6201548

- Fast drying cleaner safely removes dust and grease from brake parts and other metal objects
- Eliminates brake squealing and contains no chlorinated solvents
- VOC compliant
- An extension tube is provided for accurate spraying in any position



### Multi-Purpose Cleaner/Degreaser

Item No. KM6201568

- Heavy duty cleaner quickly removes grease and oil, strips wax, and cleans without leaving a residue
- Environmentally formulated and does not contain caustic acids or chlorinated solvents
- Safe to use on most surfaces
- VOC compliant in all states except for California and Utah



### Super Strength Penetrating Oil

Item No. KM6201543

- Lightweight penetrant that releases rusted, corroded or frozen assemblies
- This fast acting formulation includes penetrants, lubricants, and corrosion inhibitors and leaves an anti-rust film for continued protection
- Sprays in any direction and an extension tube is provided for pinpoint application



### Carb & Choke Cleaner

Item No. KM6201536


- Quick acting carburetor cleaner that penetrates and dissolves dirt and residue
- Eliminate hard starting, stalling, rough idling by loosening sticky valves, chokes, and risers
- Can be sprayed in any position and the extension tube gives you pinpoint accuracy



### Glass Cleaner

Item No. KM20020

- Powerful streak-free glass cleaner that contains ammonia and works on a variety of surfaces
- Cuts through grease, is non-abrasive, and does not leave a film
- Works well in commercial or industrial applications



### Chain & Cable Lube

Item No. KM6201502

- Lightweight black lubricant that penetrates deeply and prolongs the life of any size chain or wire by keeping it supple and resisting rust
- Displaces water and has excellent clinging properties
- Extension tube is provided for pinpoint application
- Application should be confined to light duty drive chains not running thru an oil bath



### Electric Motor/Contact Cleaner

Item No. KM6201526

- Quick acting contact cleaner that penetrates to dissolve grease and remove dirt
- Safe for electrical equipment and non-flammable
- No rinsing or wiping required and does not leave a residue so your motors run efficiently
- An extension tube is furnished for pinpoint application



### Silicone Lube

Item No. KM6201500

- Clear silicone lubricant for use on all sliding and rubbing surfaces
- Authorized by USDA for use in Federally inspected meat and poultry plants
- Comes with an extension tube for pinpoint application, and sprays in any position
- Withstands high pressures, does not stain, and has low odor



# KOMATSU®



PM1032-01

© 2016 Komatsu America Corp.

Printed in USA

MM04(5M)OTP

04/16(EV-1)

## KOMATSU®

*Note: All comparisons and claims of improved performance made herein are made with respect to the prior Komatsu model unless otherwise specifically stated.*

[www.komatsuamerica.com](http://www.komatsuamerica.com)

Komatsu America Corp. is an authorized licensee of Komatsu Ltd.

Materials and specifications are subject to change without notice.

**KOMATSU®**, Komatsu Care® and KOMTRAX® are registered trademarks of Komatsu Ltd.

All other trademarks and service marks used herein are the property of Komatsu Ltd., Komatsu America Corp. or their respective owners or licensees.