Tie Downs

Ratchet Tie Downs

- Super comfortable, thermo-plastic rubber handles are molded onto frames on select models
- . Weather and corrosion resistant hardware finished with zinc and nickel plating, or powder coating
- · PVC-coated hooks on standard duty ratchet series that will not scratch
- Cut and abrasion resistant webbing is woven from high tensile strength polyester performs better than nylon
- · Engineered stitching for system strength and durability

Heavy-Duty Ratchet Tie Downs

Item No.	Description	Break Strength	Work Load
KM310800	40' x 2", JJ Hook, Bar Handle	10,000 lbs.	3,300 lbs.
KM310001	27' x 2", JJ Hook, Bar Handle, *Step Release	10,000 lbs.	3,300 lbs.
KM310081	27' x 2", Flat Hook, Bar Handle, *Step Release	10,000 lbs.	3,300 lbs.



*Step Release ratchets allow you to release tension slowly and safely, one click at a time



Standard-Duty Ratchet Tie Downs

Item No.	Description	Break Strength	Work Load
KM312600	16' x 1", S Hook, Small Bar Handle	1,500 lbs.	500 lbs.
KM318420	6' x 1", S Hook, Small Bar Handle (Twin Pack)	1,800 lbs.	600 lbs.
KM325600	16' x 1-1/4", JJ Hook, Sure Grip Handle	2,500 lbs.	830 lbs.
KM350701	16' x 1-1/2", JJ Hook, Sure Grip Handle	5,000 lbs.	1,665 lbs.



Tie Downs

Replacement Straps

- Zinc hooks
- Cut and abrasion resistant webbing is woven from high tensile strength polyester
- · Engineered stitching for system strength and durability

Item No.	Description	Break Strength	Work Load
	30' x 2" Replacement Strap, Flat Hook	10,000 lbs.	3,333 lbs.
KM05354	30' x 2" Replacement Strap, JJ Hooks	10,000 lbs.	3,333 lbs.
KM320881	25' x 4" Replacement Strap, JJ Hooks	20,000 lbs.	6,660 lbs.





Truck Tie Downs

- · Zinc plated flat hook or delta ring
- Yellow polyester webbing

Item No.	Description	Break Strength	Work Load
KM03603	30' x 4" Truck Tie Down, Flat Hook, Poly Bag	15,000 lbs.	5,000 lbs.
KM04603	30' x 4" Truck Tie Down, Delta Ring, Poly Bag	18,000 lbs.	6,000 lbs.



Portable Bolt-On 4" Winch

Item No. KM05324

- Black powder coated finish
- 0.9" drive hole
- Bolts included
- · Break strength: 12,000 lbs.





Standard Weld-On 4" Winch

Item No. KM05314

- · Black powder coated finish
- 0.9" drive hole
- Break strength: 15,000 lbs.

Item No. KM05334



2" Mini Winch Item No. KM05334

- · Bolt-on or weld
- Powder coated frame
- Zinc plated hardware
- 1/2" drive hole
- Cut case
- Break strength: 10,000 lbs.

Tie Downs

Heavy Duty Tarp Straps

- Available in sizes from 9" to 41"
- 24" and 36" tarp straps feature patented molded holes for adjustable length
- · Weather-resistant natural rubber
- · Strong and durable zinc coated S-hooks
- · Versatile strap with high elasticity holding power

Item No.	Length
KM710900	9"
KM711500	15"
KM712100	21"
KM712400	24" Adjustable
KM713100	31"
KM713600	36" Adjustable
KM714100	41"





Tarp Strap S-Hooks

Item No. KM710040

- Four pack replacement hooks
- 5mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish

Item No. KM710040

Tow Ropes

- Braided with high quality nylon and have steel forged hooks
- · They offer very low elongation nylon
- · Constructed with double braided nylon and are oil and abrasion resistant
- Come with either steel forged hooks or braided loops

Item No.	Description	Break Strength
	17' x 3/4" Diameter, Braid-On-Braid Rope with hooks	
KM112401	17' x 3/4" Diameter, Braid-On-Braid Rope with loops	15,000 lbs.





Recovery Straps

- · Constructed of strong, lightweight, polyester flat webbing
- · Reinforced loops that extend the service life
- Engineered, stitch tested to the rated capacities with an added safety margin

Item No.	Description	Break Strength
KM151520	20' x 2" Recovery Strap with loops	15,000 lbs.
KM152020	20' x 2" Recovery Strap with loops	20,000 lbs.
KM152030	30' x 2" Recovery Strap with loops	20,000 lbs.
KM06502	20' x 3" Heavy Duty Recovery Strap with loops	27,000 lbs.
KM06602	30' x 3" Heavy Duty Recovery Strap with loops	27,000 lbs.
KM153630	30' x 4" Heavy Duty Recovery Strap with loops, Poly Bag	36,000 lbs.
KM156030	30' x 6" Heavy Duty Recovery Strap with loops, Bulk	54,000 lbs.